



AD-A133 995 AN ANALYSIS OF AIRCRAFT DATA COLLECTED IN THE ALBORAN 1/2
SEA DURING DONDE YA. (U) NAVAL OCEAN RESEARCH AND
DEVELOPMENT ACTIVITY NSTL STATION MS.

UNCLASSIFIED P E LA VIOLETTE ET AL. JUL 83 NORDA-TN-222 F/G 8/18 NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A133 995


12

NORDA Technical Note 222

Naval Ocean Research and
Development Activity
NSTL, Mississippi 39529



An Analysis of Aircraft Data Collected in the Alboran Sea During *¿Donde Va?*, 6 Through 18 October 1982



Approved for Public Release
Distribution Unlimited

Paul E. La Violette
Oceanography Division

DTIC
SELECTED
OCT 25 1983

Jeffrey L. Kerling
Naval Oceanographic Office
NSTL, Mississippi 39529

July 1983

DTIC FILE COPY

83 10 10 023

ABSTRACT

During the period 6-18 October 1982, a U.S. Navy aircraft flew a series of oceanographic survey flights over the Alboran Sea as part of a multi-platformed international experiment called Donde Va? The purpose of the flights was to measure the surface and subsurface temperature distribution, the short-term surface flow, and the atmospheric conditions during the period of the intensive field investigations.

This technical note describes these flights and presents the analyses of the Precision Radiation Thermometer (PRT-5), the Airborne Expendable Bathythermograph (AXBT), the sonobuoy drift, and the Inertial Navigation System (INS) wind data.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



ACKNOWLEDGMENTS

**This project was funded by the Office of Naval Research, under
Program Element 61153N, Dr. Dennis Conlon, program manager.**

AN ANALYSIS OF AIRCRAFT DATA COLLECTED IN THE ALBORAN SEA
DURING DONDE VA?, 6 THROUGH 18 OCTOBER 1982

by

Paul E. La Violette

and

Jeffrey L. Kerling*

I. GENERAL

During the period 6 through 18 October 1982, a U.S. Navy aircraft flew a series of oceanographic survey flights over the Alboran Sea as part of a multi-platformed international experiment called Donde Va?** The purpose of the flights was to measure the surface and subsurface temperature distribution, the short-term surface flow, and the atmospheric conditions during the period of the intensive field investigations.

This Technical Note describes these flights and presents the analyses of the Precision Radiation Thermometer (PRT-5), the Airborne Expendable Bathythermograph (AXBT), the sonobuoy drift, and the Inertial Navigation System (INS) wind data.

Position information during the flights were recorded simultaneously from the three navigation systems listed in Table A. These systems were updated several times during each flight by radar fixes and landmark overflights. A post-flight navigation accuracy assessment was made to determine each system's overall performance. Additional corrections were applied to each fix based on inertial drift rates in order to plot the most accurate position for individual survey events. (Inertial navigation system (INS) #2 showed overall best performance during the study.) Wind speed was computed continuously by all navigation systems and recorded in the navigator's logs at the time of each major event.

The aircraft oceanographic and meteorological equipment are described in Tables B and C, respectively. The dew point hygrometer malfunctioned at the start of the mission and no humidity data is available.

Surface temperatures were obtained using a PRT-5. A study of the differences between the PRT and AXBT temperature values is presented in Table D (the PRT measures the radiation temperature of the water, whereas the AXBT measures the sensible water temperature at a depth of approximately one meter). The study was made by determining the daily mean of differences obtained by subtracting the PRT temperature value from the AXBT surface temperature value at each AXBT drop point.

*Naval Oceanographic Office, NSTL, MS 39522

**This portion of Donde Va? was sponsored under a contract with Office of Naval Research, Code 422, Coastal Sciences. The primary objective of Donde Va? was to measure the velocity and hydrographic structure of the incoming flow of Atlantic water. A full description of data collection approach to the experiment can be found in the "Donde Va? Operation Plan." A limited number of copies are available for individual requestors.




Figure 1. Mapping (A-B) and Marbella Line (C-D) generalized flight tracks from the Donde Va? operation plan. During the mapping flights AXBTs were dropped every 20 km along longitudinal lines spaced every 13 minutes of longitude. The inshore AXBTs on the longitudinal lines on each side of the longitudinal Marbella Line were dropped at 36° 25' latitude. AXBTs on the southern extremes of the lines were dropped just outside the Moroccan 22 km territorial limit.

Table A. NAVOCEANO SEASCAN AIRCRAFT

Type - RP-3A, four-engine, turbo prop.

Crew - Five scientists - 13 Navy flight crew.

Agency - Technical Control: U.S. Naval Oceanographic Office, National Space Technology Laboratories, Mississippi

Operational Control: Oceanographic Development Squadron Eight, (VXN-8), NAS, Patuxent River, Maryland

Operation Performance

- Operation range: approximately 5,185 km (with 3-engine loiter)

- Operation speeds: plane can operate with one engine loitering depending on weather and survey requirements - speeds for this survey are as follows:

Operation area - 333-444 km/hr (3 engines)

Enroute op. area - 555 km/hr (4 engines)

- Max. operation altitude: 3,280 m (unpressurized)

- Min. operation altitude: 60 m

- Navigation: - Two inertial Navigation System (LTN, 51) - ± 0.19 km (relative accuracy)

- One GNS-500 VLF Comm/Omega

Since the standard deviation of these daily measurements are relatively small, a simple adjustment may be made to any single day's PRT data to make them comparable to that day's AXBT data. For example, the PRT surface temperature analysis for 11 October can be made compatible with the AXBT data by subtracting 0.4°C from the isoline values.

Surface drift estimates were obtained by deploying SSQ-57A sonobuoys at equally spaced intervals along a linear track, then relocating each buoy later in the flight using the aircraft's sonobuoy tracking system. The variation between their initial drop points and new position, after drifting over a period of four to five hours, provided the data for deriving individual buoy drift speeds and directions. Sonobuoy specifications are detailed in Table E.

On several occasions the entire line of sonobuoys was tracked twice, with the first tracking occurring two hours after the sonobuoys were dropped. On these occasions, the results of both trackings showed linearity in direction and speed. Thus, only the longer drift measurements are used to compute the drift rates and directions presented here. However, the positions of both the first and second drift locations can be found in the navigator's log also presented in this Technical Note. Thus, the reader may replot the various drifts to get the total drift vector. All times listed in figures and navigator's logs are Greenwich Mean Times.

TABLE B - OCEANOGRAPHIC EQUIPMENT ABOARD SEASCAN AIRCRAFT

INSTRUMENT TYPE/MANUF/MODEL	PARAMETER	MEASUREMENT TECHNIQUE	RANGE	ACCURACY	RESPONSE TIME
Airborne Radiation Thermometer Barnes Engineering Co. Model PRT-4A	Radiometric sky temperature	A thermister bolometer bridge circuit detects in the 8.0-14.0 micron region.	-60 to +20°C Can adjust to wider range for measurement of sky temperature.	+0.55°C under laboratory conditions	1 sec
Precision Radiation Thermometer Barnes Eng. Co. Model PRT-5	Radiometric surface temperature	Same as above except uses 9.5 - 11.5 region.	-30°C to +80°C 2° field of view	+2°C when below 1000 feet and after environmental corrections.	Selectable: 5 msec 50 msec 500 msec
Infrared Scanner Texas Instruments RS-310	Radiometric surface temperature	Energy received in the 8-14 micron region is focused on Mg Cd Te detector and is translated to modulate the intensity of a light spot focused on film.	120° field of view.	+0.1°C theoretical thermal resolution with 3 milli-radiad detector. +0.011°C theoretical thermal resolution with 3 milli-rad detector.	
Laser Profilometer Spectra-Physics, Inc. Model 3A Geodolite	Surface wave heights and terrain profiles.	Amplitude-modulated helium-neon laser beam is reflected from the target, received, and converted to a range value	Typical operating altitude is 500 to 1000 Range Steps: 10; 100; 1000; 10,000; and 100,000 ft.	+3 inches during operation in the range of 500 to 1000 feet.	Selectable for 1, 3, 5, 10, 20, 50, or 100 msec.
Airborne Expendable Bathythermograph (AXBT) Selected Govt. Contractors Model AN/SSO-36	Water temperature vs depth profile	Frequency modulated signal containing temperature data radioed to the aircraft where signals are converted to temperature values.	-2°C to +35°C 0 to 400 meters (0 to 1312 feet)	+0.5°C off-the-shelf. +0.15°C with recalibration. 5% of depth.	5 sec
Still Picture, Aerial Camera Wilde Herburg RC-8	Visual	2448 color positive, film 8"x8" format.	73 44' field of view. Coverage at 10,000 approx. 15,000.	60 lines/MM (AWAR)	Shutter speed 1/1000 sec Frame Speed 1 per sec.

TABLE C - METEOROLOGICAL EQUIPMENT ABOARD SEASCAN AIRCRAFT

INSTRUMENT TYPE/MANUF/MODEL	PARAMETER	MEASUREMENT TECHNIQUE	RANGE	ACCURACY	RESPONSE TIME
Dew Point Hygrometer Cambridge Systems, Inc. Model 137-C3-S3	Dew Point	Stainless steel mirror is cooled to air saturation (dew point) temperature utilizing a thermoelectric cooling technique. An optical system senses the dew and controls the mirror temperature at dew point.	-50° to +50°C	+1°C below 0°C +0.5°C above 0°C	3°C/sec when at nominal depressions.
Pressure Transducer Rosemount, Inc. Model 1301A	Absolute barometric pressure	Variable capacitance proportional to pressure.	370 to 1035 mb	<u>±1</u> mb	25 msec
Quartz Crystal Thermometer Hewlett Packard Model 2801A	Outside air temperature also used for flight calibrating of PRT-5	Indicates temperature as a consequence of frequency changes exhibited by temperature sensitive quartz crystals used as sensing elements.	-80° to 250°C	<u>±0.02</u> °C	Less than 0.2 sec

Table D. Variation between PRT and AXBT (surface) Temperature Values

Date Oct (1982)	Number of Comparisons	Mean Difference (AXBT-PRT)	Standard Deviation
6	88	(+)0.03	0.27
11	63	(-)0.38	0.65
13	15	(+)0.23	0.26
15	54	(-)0.23	0.50
18	*	*	*

* No AXBT data available

TABLE E. SSQ-57A Sonobuoy Specifications

- o Description and function.....Passive, omni directional measurement of underwater acoustical energy
- o Transmission channels & power.....31 channels 1 watt
- o Length (freeboard), width, and weight.....91.4 cm (15-20 cm) 12.4 cm, and 6.8 Kg
- o Operating depth of hydrophone.....18 m (selected)
- o Operating life.....8 hours (selected)
- o Antenna.....Whip

Table F. RP-3A Data Collection during Donde Va?

Flight No.	Date	Type Flight	Buoys Deployed			INS Winds & Air Temp
			PRT	AXBT	Sonobuoys	
1	6 Oct	Mapping	Yes	88	0	Yes
2	9 Oct	Marbella Line	Yes	0	15	Yes
3	11 Oct	Mapping	Yes	79	15	Yes
4	13 Oct	Marbella Line	Yes	17	25	Yes
5	15 Oct	Mapping	Yes	75	15	Yes
6	18 Oct	Mapping	Yes	0	40	Yes

II. SURVEY DESCRIPTION

The RP-3A aircraft staged from Rota, Spain and normally entered and departed the study area via the Strait of Gibraltar. During the study period six flights were conducted, four of which were mapping flights over the entire Alboran Sea west of Alboran Island (Figure 1). During these flights, the aircraft dropped AXBTs approximately every 20 km to provide a grid of subsurface temperature data to a depth of 300 m. (Atlantic water is restricted to the upper 200 m, thus, these temperature data include all of the inflowing water.) Normally the aircraft flew at an altitude of 300 meters except where noted in the analyses. PRT temperatures were collected along all flight lines.

Sonobuoys were dropped during these flights along the longitudinal line 4°45'W from a point near Marbella on the Spanish coast to a distance 30 km north of the Morrocan coast. This line and another sonobuoy drop line originating at Marbella and situated at a slight angle to the 4°45'W line have been termed the Marbella Lines (Figure 1).

The remaining two flights were special flights whose flight tracks were limited to the Marbella Line. AXBTs were dropped on only one of these two flights, whereas sonobuoys were dropped on both flights. A listing of all of the flights, their purpose, and the instruments used is presented in Table F.

III. DATA PRESENTATION FORMAT

Part I, horizontal analyses and flight history will be presented in chronological order and will follow a standard format for each mapping flight:*

- navigator's log
- 300 m INS wind analysis
- sonobuoy drift
- surface temperature (PRT) analysis
- 20 m temperature (AXBT) analysis
- 50 m temperature (AXBT) analysis
- 100 m temperature AXBT analysis
- depth of the 18° isotherm

The sonobuoy drift data for the Marbella Line flights of 9 and 13 October is also presented in chronological order with the mapping flight data.

The vertical analyses in Part II will present one figure for each day that will include the INS winds, current (i.e., sonobuoy drift) analyses and the vertical temperature distribution along the Marbella Line and, in the case of 18 October, a generally east-west line.

IV. AIRCRAFT SCIENTIFIC AND TECHNICAL PERSONNEL

Paul E. La Violette, Chief Scientist	(NORDA)
Jeffrey Kerling, Aircraft Scientific Coordinator	(NAVOCEANO)
Norbert Schmidt, Electronics Engineer	(NORDA)
Phil Parrot, Electronics Engineer	(NAVOCEANO)
Ramon Andre Oriol , Technician	(CSC)
Michele Champagne Philippe Scientist (France)	(CMS)
Heinz van der Piepen , Scie. Inst (Germany)	(DFVLR)

*Note that no sonobuoys were dropped on 6 October and no XBTs were dropped on 18 October.

PART I
HORIZONTAL ANALYSES AND FLIGHT HISTORIES

6 OCTOBER 1982

ପ୍ରମାଣିତ
କରିବାରେ

NAVIGATOR'S FLIGHT RECORD

16-17 16-17
evening 04:30-05:30

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO						TRACK			FROM			TO		TIME	OF
			TIME	IN S	END	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA	ATA		
0941 N	L704H	VLF	(LTU#2)	25-40.9	25-40.2	25-40.5	102	173	826	211	224	0,500					PT#4L	
4-414	4.565	454.1.	456.8														PT#4F	
0945	35-50.4	25-41.5	35-50.0	102	359	812	254	218	272	213	213					PT#4P		
55	4.56.7	4.54.7	4.57.0														PT#4B	
48	36-00.4	35-54.5	36-00.0														PT#4G	
31	4-58.8	4-34.9	4-57.0														PT#4P	
51	36-10.4	36-69.3	36-09.9	360	711	353	213	201	231	1500							PT#10	
54	4-58.8	4-55.1	4-57.0														PT#4P	
54	36-20.5	36-19.5	26-20.0	✓	✓	✓	-	-	-	-	-						PT#4P	
05	4-58.8	4-53.3	4-57.0														PT#4P	
16	36-28.4	36-24.5	36-25.1														PT#4P	
40	4-58.8	4-55.1	4-57.0														PT#4P	
1000	36-21.7	36-23.8	36-24.0	102	182	51	188	223	270	271	271					PT#4P		
41	4-42.4	4-43.2	4-42.7														PT#4P	
01	26-28.4	26-19.6	26-19.7	181	102	191	224	286	217	217	217					PT#4P		
52	4-43.7	4-43.6	4-44.0														PT#4P	
04	26-10.2	26-09.3	26-09.2	180	111	191	224	275	271	271	271					PT#4P		
32	4-43.8	4-43.9	4-44.1														PT#4P	
07	26-01.0	26-00.2	26-00.1	188	92	189	207	284	229	229	229					PT#4P		
03	4-42.8	4-41.0	4-44.2														PT#4P	
09	35-51.0	35-50.2	35-50.0	✓	✓	✓	✓	✓	✓	✓	✓					PT#4P		
21	4-42.8	4-42.9	4-44.3														PT#4P	
13	35-41.0	35-39.9	35-39.9														PT#4P	
20	4-43.9	4-44.0	4-44.0														PT#4P	
58	4-42.5	4-42.5	4-44.0														PT#4P	
12	25-34.7	25-33.9	35-32.5	105	11	102	246	279	202	1,000						PT#4P		

OCEANEDEVRON EIGHT 37801 (REV 8/1)
? maybe /4 3 March 83 del

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO						TRACK			FROM			TO			DATE	E OF
			TIME	MIS	ENR	#	VLF	#	2	TC	DA	TH	GS	WIND DIR/VEL	ALT	DIST +TOT	DIST REM	ETA EST	ETA ATA
01/16/10	35-31.7	35-30.2	35-30.5	35-3	9R	344	119	262	321	273	221	273	229	1008					BT#18 Q=4
01/21/10	4-30.8	4-32.0	4-31.3																BT#29
01/25/10	25-41.8	25-40.5	25-40.6	35-3	9R	350	221	273	329	232	229	273	232						BT#30
02/01/10	4-30.3	4-30.9	4-30.9																BT#31
02/22/10	35-51.2	35-49.8	35-50.0	35-3	9R	350	V	273	270	232	V	273	232						BT#32
03/12/10	4-30.4	4-30.8	4-31.0																BT#33
04/24/10	35-01.3	35-59.8	35-60.1	V	9R	351	218	279	279	279	279	279	279						BT#34
05/24/10	4-30.4	4-29.8	4-31.0	V	7R	353	216	269	269	269	269	269	269	V					BT#35
06/24/10	36-11.1	36-09.6	36-09.9	V	7R	353	216	269	269	269	269	269	269	V					BT#36
07/20/10	4-30.1	4-29.6	4-31.0	V	7R	353	216	269	269	269	269	269	269	V					BT#37
08/20/10	36-31.2	36-19.1	36-19.4	V	4R	351	218	260	260	260	260	260	260	V					BT#38
09/20/10	4-28.3	4-28.3	4-28.3	V	4R	351	218	260	260	260	260	260	260	V					BT#39
10/20/10	36-21.3	36-20.4	36-20.1	V	2R	354	205	265	265	265	265	265	265	V					BT#40
11/20/10	4-17.0	4-16.4	4-16.0	V	2R	354	205	265	265	265	265	265	265	V					BT#41
12/20/10	36-34.0	36-34.0	36-34.0	V	4L	350	180	242	242	242	242	242	242	V					BT#42
01/20/11	4-18.2	4-17.1	4-19.0	V	4L	350	180	242	242	242	242	242	242	V					BT#43
02/20/11	36-28.8	36-28.2	36-27.5	V	17R	352	181	243	243	243	243	243	243	V					BT#44
03/20/11	4-17.2	4-16.4	4-18.1	V	17R	352	181	243	243	243	243	243	243	V					BT#45
04/20/11	36-30.8	36-19.2	36-19.5	V	18R	352	181	243	243	243	243	243	243	V					BT#46
05/20/11	4-17.1	4-16.2	4-18.0	V	18R	352	181	243	243	243	243	243	243	V					BT#47
06/20/11	36-11.3	36-09.7	36-10.0	V	9L	183	221	274	274	274	274	274	274	V					BT#48
07/20/11	4-17.0	4-16.4	4-18.0	V	8L	183	221	274	274	274	274	274	274	V					BT#49
08/20/11	36-01.3	35-59.4	35-59.1	V	8L	183	221	274	274	274	274	274	274	V					BT#50
09/20/11	4-17.0	4-16.2	4-18.0	V	8L	183	221	274	274	274	274	274	274	V					BT#51
10/20/11	35-51.4	35-49.7	35-58.0	V	9L	158	222	278	278	278	278	278	278	V					BT#52
11/20/11	4-17.0	4-16.2	4-18.1	V	9L	158	222	278	278	278	278	278	278	V					BT#53
12/20/11	35-51.4	35-49.7	35-58.0	V	9L	158	222	278	278	278	278	278	278	V					BT#54

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV		SNA		AIRCRAFT BUNO				TRACK		FROM		TO		DATE		# OF REMARKS
	TIME	M/S E/W	#1	WF	#2	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST REM +TOT	ETE	ETA ATA		
1051 10	35.41.4	35.39.4	35.39.9	18	1L	189	276	277	219	219	1,000					BT#21	
42 10	4.16.9	4.16.3	4.18.0														
51 1	35.31.5	35.29.6	35.29.9	17	102	183	278	284	242	232	V					BT#32	
23	4.16.9	4.16.0	4.18.0														
55 1	35.38.3	35.26.3	35.26.8														
12	4.16.9	4.16.3	4.18.0														
58 1	35.32.8	35.30.4	35.31.2	008	102	358	214	284	282	282	V					BT#33	
13	4.05.1	4.04.5	4.06.2														
101	2543.9	2541.6	2542.3														
20	4.04.0	4.02.9	4.05.0	340	102	250	215	282	225	225	V						
03	3551.6	3549.3	3550.0	V	V	V	V	281	34	282	V					BT#34	
28	4.04.0	4.02.7	4.05.0														
06	36.01.6	3559.1	36.00.0	V	92	351	220	272	229	229	V					BT#35	
10	4.04.0	4.02.7	4.05.6														
08	36.11.7	3609.2	36.10.0	V	V	V	V	272	229	229	V					BT#36 Q4	
54	4.04.1	4.02.8	4.05.0														
11	36.21.7	3619.1	3620.0	360	5R	355	222	273	228	228	V						
26	4.04.1	4.02.9	4.05.1														
14	36.31.2	3628.7	3629.5	V	8R	353	261	309	241	238	V					BT#37	
15	4.04.2	4.03.0	4.05.1														
17	3641.0	3639.2	3640.0	355	6R	244	244	245	223	223	V					BT#38	
22	4.04.2	4.03.2	4.05.2														
22	3642.1	3639.8	3640.1	159	6L	165	242	295	226	226	V					BT#39	
03	2.49.5	3.48.8	2.50.5														
24	36.32.1	3629.6	3620.0	181	7L	188	240	299	227	227	V						
46	2.50.8	3.50.2	2.51.9														

NAVIGATOR'S FLIGHT RECORD

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO						TRACK			FROM			TO		DATE		OF
			TIME	NS E/W	H/H	W/F	#2	TC	DA	TH	GS	WIND DIR/VEL	ALT	DIST +TOT	DIST REM	E/E	ETA ATA	REMARKS	
1201	W	36-432	3640.0	3640.3	3640.3	3640.3	3640.3	282				1800						BT#57	
22	W	3-37.3	3-36.6	3-39.1														A/H 80	458
05		36-43.3	36-28.9	36-29.3	36-29.3	36-29.3	36-29.3	232	0	132	238	312	211	V				BT#58	
20		3-25.0	3-24.7	3-26.9	3-26.9	3-26.9	3-26.9											A/H 141	180
07		36-32.9	36-29.3	36-29.3	36-29.3	36-29.3	36-29.3	180	91	189	231	341	225	V				BT#59	
54		3-24.0	3-24.0	3-26.0	3-26.0	3-26.0	3-26.0											BT#60	
10		36-23.1	36-19.4	36-20.0	36-20.0	36-20.0	36-20.0	V	V	V	V	280	228	V					
26		3-23.9	2-24.6	3-26.0	3-26.0	3-26.0	3-26.0												
13		26-13.1	26-09.4	26-10.0	26-10.0	26-10.0	26-10.0	V	V	V	V	226	273	228	V			BT#61	
02		3-22.9	3-23.8	3-24.0	3-24.0	3-24.0	3-24.0												
15		36-03.5	35-59.1	36-50.3	36-50.3	36-50.3	36-50.3	V	V	V	V	222	277	219	V			BT#62	
40		2-23.8	3-23.8	3-23.8	3-23.8	3-23.8	3-23.8											PB 142/146.5 / 191/444	
16		35-53.1	35-49.1	35-49.8	35-49.8	35-49.8	35-49.8	V	111	191	216	254	223	V				BT#63	
28		3-23.8	3-23.8	3-24.0	3-24.0	3-24.0	3-24.0												
21		35-43.3	35-39.4	35-40.0	35-40.0	35-40.0	35-40.0	V	V	V	V	222	292	219	V			BT#64	
03		3-23.7	3-23.9	3-26.0	3-26.0	3-26.0	3-26.0												
23		35-33.9	35-29.4	35-30.0	35-30.0	35-30.0	35-30.0	V										BT#65	
34		3-23.7	3-23.7	3-26.0	3-26.0	3-26.0	3-26.0											A/H 229	66
28		35-43.5	35-39.0	35-40.0	35-40.0	35-40.0	35-40.0											BT#66	
42		3-11.4	3-11.4	3-12.7	3-12.7	3-12.7	3-12.7											A/H 256	147
31		35-52.5	35-49.1	35-49.9	35-49.9	35-49.9	35-49.9											BT#67	
32		3-10.7	3-10.3	3-13.6	3-13.6	3-13.6	3-13.6												
34		36-03.7	35-59.4	36-00.0	36-00.0	36-00.0	36-00.0	V	13K	V	212	223	220	V				BT#68	
36		3-10.7	3-10.4	3-12.0	3-12.0	3-12.0	3-12.0												
17		36-12.7	36-09.1	36-10.0	36-10.0	36-10.0	36-10.0	V	10K	350	217	267	222	V				BT#69	
19		3-10.7	3-10.4	3-12.0	3-12.0	3-12.0	3-12.0												

NAVIGATOR'S FLIGHT RECORD


OCEAN DEVIRON EIGHT 3780/1 (REV 81)


NAVIGATOR'S FLIGHT RECORD


A/C CMDR	NAV	SNR	AIRCRAFT BUNO	TRACK	FROM	TO	DATE 601822	OF							
TIME EST	MIS	#1	W.F.	(#2)	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	ETA ATA	REMARKS	
13074 N	26 354	26-29.9	36-39.6	34	311	197	290	24	24	1000	151W #2		BTM 81		
30 W	348.3	3 50.2	3-52.4											A/H BTM #82	
20 1	26-35.8	36-29.9	36-30.0	276	6L	275	199	302	227	V	099	Worth	BTM 82		
26	4 00.8	4-03.1	4-05.0												
22	26-25.9	26-29.9	26-30.0	✓ 4	241	201	303	219	V	1.0	NM	PCT #83			
36	4-13.5	4-15.5	4-17.7											A/H 360 T	
26	26-45.9	26-29.5	26-40.0	06L	6R	209	314	209	221	V				LET #84	
41	4-14.0	4-16.8	4-18.2											A/H BTM #85	
45	26-26.0	26-19.4	26-19.8	224	5L	213	270	213	29	233	V			BTM 85	
45	4-29.7	4-27.0	4-44.0											A/H P- "A"	
48														UPDATE ULF TO LTW	
51	26-07.3	26-00.8	26-00.9	264	0	266	183	262	264	V	-				
24	454.9	4-59.2	4-59.4											A/H D-83,	
37	26-06.5	26-00.1	35-53.9	260	3	263	183	273	272	V					
38	5-15.1	5-19.2	5-19.8											4E" (LTW acc < 65 nm.)	
1404	35-50.6	35-56.2		266	3L	269	198	246	236	V				BTM 86	
10		5-42.2													
04		355561												BTM 87	
58		5460													
0		355560													
26		5-48.3		270	3L	273	193	264	264	V					
18		26-03.2	35-54.9	35-56.2										A/H BTM #88	
29		6-39.2	6-43.4	6-44.4										C-1	
1425		36-21.4	36-15.1	26141										PNU RV's	
		6540	658.2	62441											


OCEANIC EDITION EIGHT 3700/1 (REV 81)
1447


LAND 4300 ft, alt. 1176














9 OCTOBER 1982

UNO AIRCRAFT 105 #2 Ave. 0.5 NM.
UNO AIRCRAFT 105 #1 Ave. 0.7 NM.

NAVIGATOR'S FLIGHT RECORD

A/C CHDR 1. D; HANZELL TIME IN/HY	NAV/TG E025 #4	DOP/RT L1U112	SIR H3 E025 #4	AIRCRAFT BUNO 1109667	TRACK 05 - 1 - 83 ± 3 LE/12T	FROM DIST REM	TO ALT	DATE LE/12T 9 OCT 82	OF
									ACCEP T I US # 2
005									EUDG IN E START
006									TAXI
007									T/O
008	N 36-31.7	36-32.4	36-31.7						13045 7ACAN
009	W 36-33.5	6-33.3	6-32.5	237 26	237 278				NAUL
010	36-15.5	36-16.2	36-15.5						
011	6-38.0	6-38.2	6-38.4	166 166 2	3068 327.9 293	✓			
012	35-55.6	35-56.6	35-57.6.2						
013	6-39.0	6-38.8	6-39.4	90.6 22.82.26.7	29d ✓				
014									
015									
016	26-26.7	26-25.4	26-24.2	169 202	043 05	225 205	1,080	V	
017	4-46.3	4-46.8	4-46.1						
018	36-19.7	36-18.6							
019	4-45.0	4-44.1							
020									
021									
022									
023									
024									
025									

I think this should read 4.32.0 (not 4)

NAVIGATOR'S FLIGHT RECORD

A/C CHMNR LCID#-HARTELL TIME	NS ENR	#1	VLF	#2	NAV E.I./S E.I./S E.I./S	DODATT E.I./S E.I./S E.I./S	SNR E.I./S E.I./S E.I./S	AIRCRAFT BUNO 142662	TRACK 05-1-83#2	FROM LE/ET			TO LE/ET			DATE 9 OCT 82		OF
										TC DA	TH GS	DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA	ETA
1006 N 25	09	36.04.6 4.37.9	36.63.4 4.28.9	164 161	4L 168	241	283	245	1,000									POET
	15	35.54.7 4.21.6	35.52.5 4.35.5	✓		239	262	248	✓									POSIT
	15	26.51.5 4.28.8	25.50.6 4.24.4	342		162												A/H
	22	25.45.7 4.21.1	25.45.0 4.26.0	340	4L	348	181	203	187	✓								#4
	19	35.48.8 4.22.0	35.48.0 4.33.8	345		176	15	184	✓									#5
	27	35.52.3 4.22.9	35.51.5 4.34.9	341	178	271	14	183	V									#6
	27	35.54.6 4.22.9	35.53.8 4.34.9	344	V	340	177	278	17	183	V							#7
	20	35.57.2 4.34.6	35.56.4 4.34.6	344	V	340	177	278	17	183	V							#8
	20	36.00.1 4.35.6	35.59.3 4.35.5	345	V	1	176	278	16	183	V							#9
	21	36.03.6 4.35.6	36.02.8 4.35.5	345	V	1	176	282	16	180	V							#10
	31	36.06.0 4.35.6	36.05.9 4.35.5	345	V	1	176	278	16	180	V							
	32	36.08.8 4.36.0	36.08.7 4.36.0	345	V	1	176	278	16	180	V							
	32	36.11.7 4.36.1	36.10.9 4.36.1	345	V	1	176	278	16	180	V							
	34	36.14.4 4.36.4	36.13.5 4.36.4	345	V	1	176	278	16	180	V							
	34	36.17.4 4.36.7	36.16.5 4.36.5	345	V	1	176	278	16	180	V							

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BU NO						TRACK			FROM			TO		DATE OF	REMARKS
			TIME	INS FMS	#2	VLF	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ATA		
1085 NQ		36139	26146		344	242	342	184	03	258	148	1000					#11	
204	4425	4405																
26	17.7	2617.0	344	0	344	189	100	190	01								#12	
24	4416	4436																
27	2620.5	2619.9															#13	
26	4426	4445			✓	11	345	187	04	186	186	V						
38	2623.1	2622.8																
29	4436	4456			✓	22	346	181	05	181	181	V					#14	
39	2626.2	2625.6																
25	4446	4465			✓	12	343	186	01	186	186	V					#15	
40	2629.8	2629.2															#16	
37	4469	447.7															A/H D/V	
46	2626.8	2625.6	162	3L	165	261	248	262	09	260							A/PN #1	
08	4451	4467																
48	2620.4	2619.4	164	4L	168	260	274	263	17	197	197	V						
04	4428	4444															#1	
49	2616.7	2615.4	165	6L	171	198	263	196	20	196	196	V					POSIT	
20	441.5	442.9																
50	3612.9	2611.6	✓	✓	✓	✓	199	271	23	195	195	V					#2	
20	440.3	441.7																
51	26085	36042			✓	7L	172	172	V	271	193	V					POSIT	
53	4289	440.2																
	36051	36037	165	6L	171	200	272	193	22								#3	
52	4278	4390																
57																		

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO						TRACK			FROM			TO			# OF REMARKS
			TIME	MIS EIN	YLF	#2	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ETE	ETA ATA	
105415			26-00.5	35-59.1	165	6L	171	193	273	194	300						POSI T	
110315			4-36.3	4-31.4	165	6L	171	193	273	194	300						POSI T	
115515			35-59.2	35-55.7	165	6L	171	193	273	194	300						POSI T	
123715			4-35.2	4-36.3	V	V	-	198	273	194	22	V					#4	
125715			35-59.1	35-50.6	V				283	V							POSI T	
130315			4-33.4	4-31.5	V				21								POSI T	
135715			35-49.2	35-47.7	165	6L	171	202	273	196	V						#5 ORBIT C	
140715			4-32.5	4-30.7	165	6L	171	202	273	196	V						#6	
142515			35-46.1	35-44.8	344	2R	342	226	300	240	1300						POSI T	
143115			4-32.6	4-30.6	344	2R	342	226	300	240	1300						POSI T	
143615			35-53.6	35-51.4	345	V	343	228	298	245	V						POSI T	
143615			4-32.6	4-30.1	V	V	V	223	287	215	V						POSI T	
151015			35-56.8	35-55.6	V	V	V	223	287	215	V						POSI T	
151615			4-34.8	4-32.7	V	V	V	223	287	215	V						POSI T	
152115			26-05.7	26-04.5	345	1R	343	229	300	240	V						POSI T	
152715			4-32.7	4-30.3	345	1R	343	229	300	240	V						POSI T	
153315			26-12.6	26-11.4	345	O	343	232	300	240	V						POSI T	
153915			4-30.0	4-11.7	345	L	343	242	300	240	V						POSI T	
161615			26-20.3	26-19.2	344	L	345	242	300	240	V						POSI T	
162215			4-29.1	4-14.3	344	L	345	242	300	240	V						POSI T	
162815			26-27.6	26-26.6	V	-	-	1	1	10	240	V					POSI T	
163415			4-45.0	4-46.9	V												POSI T	
170115			36-24.1	36-23.5	163	L	164	241	318	240	V						POSI T	
170715			4-12.7	4-15.6	V												POSI T	
171315			36-24.1	36-23.5	163	L	164	241	318	240	V						POSI T	
171915			V														POSI T	

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV LDR & DEPMEN	S/NR	AIRCRAFT BUNO	TIME	IN	OUT	TC	DA	TH	GS	WIND DIR/VEL	TRACK	FROM	TO	DATE	TIME	REMARKS
												#2	#2	#2	#2		
1127 D	41	VLF	#2	36.15.7	36.14.6	164	1L	165	246	5791	05	051	1700			#12 4XPM	
150 W	4.405	4.42.5		36.07.9	36.06.2	164	2L	166	245	352	201	244	V			#13	
29	4.37.7	4.39.8		26.61.1	35.59.4	165	2L	167	257	210	17	244	V			#14	
21	4.35.4	4.37.5		25.52.4	25.52.9	165	3L	168	253	203	19	244	V			RELT	
23	4.32.1	4.35.3		25.48.2	25.46.1	1	1	1	1	200	20	200	V			RELT	
60	4.30.9	4.33.2		25.42.2	35.41.5	241	1L	246	232	09	242	2600				A/H	
24	4.28.4	4.31.2		24.41.2	35.41.5	1	1	1	1	200	20	200	V			RELT	
32	4.20.9	4.33.2		24.41.2	35.41.5	241	1L	246	232	09	242	2600				RELT	
29	4.28.4	4.31.2		24.41.2	35.41.5	241	1L	246	232	09	242	2600				RELT	
39	4.28.4	4.31.2		24.41.2	35.41.5	241	1L	246	232	09	242	2600				RELT	
41	35.41.9	35.46.0		35.41.9	35.46.0	241	1L	246	232	09	242	2600				RELT	
22	4.31.0	4.33.2		34.4	212	342	227	008	245	✓						PSIT	
43	35.56.4	35.55.2		4.33.3	4.34.5	112	345	241	002	241	002	241	V			PSIT	
16	4.33.3	4.34.5		34.4	212	342	227	008	245	✓						PSIT	
45	4.36.0	4.38.8		34.4	4	344	242	001	241	001	241	001	241			PSIT	
11	4.36.0	4.38.8		34.4	4	344	242	001	241	001	241	001	241			PSIT	
45	36.11.2	36.10.3		4.38.4	4.41.3	345	1L	346	248	006	246	✓				PSIT	
6	4.38.4	4.41.3		36.11.2	36.10.3	345	1L	346	248	006	246	✓				PSIT	
45	36.19.4	36.18.4		4.41.2	4.41.1	344	4	344	249	004	246	✓				PSIT	

NAVIGATOR'S FLIGHT RECORD

OCEANDEV EIGHT 3780/1 (REV 81)

NAVIGATOR'S FLIGHT RECORD

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV/ALTDISTANT	SNR	AIRCRAFT BUNO		TRACK		FROM		TO		LAST		DATE		DEPARTS			
			VLF	#8	TC	DA	TH	GS	WIND	DRAVEL	TAS	ALT	DIST	+101	REM	ETA	ATA	REMARKS
1288 N	35-3833	35-315	215		140	200		183										MOT #3
																		MOT #4
																		MOT #5
																		MOT #6
																		MOT #7
																		MOT #8
																		MOT #9
																		MOT #10
																		MOT #11
																		MOT #12
																		MOT #13
																		MOT #14
																		MOT #15

୪୮

NAVIGATOR'S EIGHT RECORD

NAVIGATOR'S FLIGHT RECORD

A/C CMDR LAWRENCE THOMAS	NAV LINE ENR 1000 FT	SNA 1000 FT	AIRCRAFT BLDG 114666	TRACK 05-1-83#2				FROM TO GND				DATE 9 OCT 80		ID OF REMARKS	
				TIME EST	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST + TOT	DIST REM	ETA ETE	
1346 N	VLF	LTH#2													
	355.37.4	355.56.1													
45	4.33.6	4.33.9	345	42	341	334	013	246							PSTT
46	36.02.8	36.01.5													PSTT
47	4.35.5	4.35.7	345	212	343	235	010	239							A/H
48	36.07.3	36.06.1													PSTT
49	4.36.9	4.37.1	345	212	343	236	006	238							PSTT
50	36.12.5	36.11.4													PSTT
51	4.38.7	4.38.1	345	202	342	235	006	237							PSTT
52	26.17.2	26.16.2													PSTT
53	4.40.3	4.40.7	345	212	343	234	007	239							A/H
54	36.27.8	36.26.7													PSTT
55	4.41.7	4.41.1	345	212	343	233	010	236							A/H
56	36.28.3	36.26.7													PSTT
57	4.41.6	4.50.1	345	312	153	232	014	227							PSTT
58	36.28.3	36.26.7													PSTT
59	4.42.9	4.42.5	36.21.5												PSTT
60	4.47.4	4.47.8	165	412	169	215	015	234							PSTT
61	36.15.9	36.14.5													PSTT
62	4.44.9	4.45.5	164	412	168	240	014	239							PSTT
63	36.08.0	36.06.6													PSTT
64	4.42.1	4.42.7	164	312	167	241	014	239							PSTT
65	35.57.9	35.58.6													PSTT
66	4.39.2	4.40.0	164	412	168	240	013	241							PSTT
67	35.50.4	35.49.1													PSTT
68	4.35.5	4.36.7	164	512	237	632	246								PSTT
69	35.41.7	35.40.7													A/H
70	4.33.7	4.33.7	196	412	236										A/H

NAVIGATOR'S FLIGHT RECORD

A/C CMDR L/CDR HARTFELD	NAV Y/T 76 DOLANT	SNR M21 KERLIZING	AIRCRAFT BUNO 1496C	TRACK 05-1-83 #2	FROM LEAD T	TO LEAD T	DATE 9 OCT 62	U OF				
TIME IN Z	TIME IN Z	# 2	TC DA	TH GS	WIND DIRVEL	TAS	ALT	DIST + TOT	DIST REM	ETA ETE	ETA ATA	REMARKS
1116 0	35.45.4 35.44.6				274							PSIT
1116 0	4.30.7 4.33.6	345 342	343 227	010 237	3800							
1116 0	35.55.0 35.54.1			234								
1117 0	4.33.7 4.35.7	345 226	343 222	009 228	✓							PSIT
1117 0	35.55.0 35.54.1			228								
1118 0	4.12.5.5 4.37.9	345 242	343 219	006 222	✓							PSIT
1118 0	35.55.0 35.54.1			222								
1119 0	36.0.0 36.05.4			322								
1119 0	4.32.1 4.39.6	345 112	344 221	007 229	✓							PSIT
1119 0	36.0.0 36.05.4			229								
1120 0	4.38.7 4.41.1	344 112	343 219	006 226	✓							PSIT
1120 0	36.0.0 36.05.4			226								
1121 0	36.15.3 36.14.0			327								
1121 0	36.10.6 36.09.8			327								
1122 0	4.40.2 4.42.5	344 4	344 219	009 226	✓							PSIT
1122 0	36.15.3 36.14.0			226								
1123 0	4.44.0 4.46.8	344 4	344 217	010 225	✓							PSIT
1123 0	36.15.3 36.14.0			225								
1124 0	36.26.9 26.26.3			351								A/H D ✓
1124 0	36.26.9 26.26.3			225								
1125 0	4.44.0 4.46.8	344 4	344 217	010 225	✓							PSIT
1125 0	36.26.9 26.26.3			225								
1126 0	36.30.8 36.30.4			3100								140T PEGE
1126 0	4.45.2.1 4.45.3.3			3100								REPORT 3630.2/4.03
1127 0	36.26.0 36.25.9			287								PSIT
1127 0	4.46.4 4.46.7	163 226	165 214	014 246	3100							PSIT
1128 0	36.17.2 26.16.9			218								
1128 0	36.17.2 26.16.9			218								
1129 0	4.43.3 4.43.5	165 161	168 253	016	✓							PSIT
1129 0	36.10.9 26.10.6			295								
1129 0	36.10.9 26.10.6			295								
1130 0	4.41.2 4.41.3	164 226	245 203	013 236	✓							PSIT
1130 0	36.02.9 26.02.6			285								
1131 0	4.38.6 4.38.6	164 326	167 241	016 233	✓							PSIT
1131 0	35.56.4 35.55.9			275								
1132 0	4.36.4 4.36.3	165 426	169 239	018 233	✓							PSIT

OCEANDEVON EIGHT 376001 (REV 01)

NAVIGATOR'S FLIGHT RECORD

A/C CMDR UDR HANTC ELL	NAV LT JG DIAHART ENL WHTSTE	SNR MURKIN	AIRCRAFT BUNO 149 667	TRACK 05 - 83 47	FROM 1.6N 7	TO 1.6N 7	DATE 9 OCT 62	L2 OF		
TIME INS EM	VLF (IN#2)	TC DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST REM +TOT	ETA ATA	REMARKS
1444 N	55 504 25 448	165	4	169	228 19	273 20	3100			POSI T
1458	4-242 4-342	35 459	35 453	165	V	246 19	226	V		POSI T
1519	4-229 4-227	35 423	35 418			276 17				POSI T AHA
1546	4-217 4-315	35 480	35 479	029	6X	023 194	187 23	185 256		MOT #1
1551	4-221 4-204	35 492	35 490			287 23				MOT #2
1554	4-307 4-294	35 510	35 504			275 25				MOT #3
1557	4-369 4-365	36 510	35 505	277		159 26	181 26			MOT #3 new
1558	4-265 4-352	35 531	35 527	304		166 26	190 26			MOT #4
1559	4-374 4-264	35 556	35 553	044		197 26	233 26			MOT #5
1559	4-374 4-264	35 566	35 563	044		197 26	233 26			MOT #6
1559	4-260 4-336	35 566	35 564	035		191 26	179 26			MOT #7
1559	4-260 4-336	35 591	35 588	041		187 26	182 26			MOT #8
1559	4-324 4-309	36 022	36 019	045		165 28	187 28			MOT #9
1559	4-311 4-288	36 047	36 041	023		162 28	187 28			
1559	4-287 4-271	36 047	36 041	023		162 28	187 28			

NAVIGATOR'S FLIGHT RECORD

A/C CMDR Last Name	NAV CDR Last Name	SNR (#)	NAV CDR DEPART	AIRCRAFT BUNO	TRACK C1-83 #2	FROM LAST	TO LAST	DATE 900702	L3 OF		
TIME EST	VLF	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	ETA ATA	REMARKS
1504 N 28 00	36.078 4.275	36.072 4.263	005		190 22	264 185	600' 185				NOT #10
06 55	36.12.4 4.33.5	36.11.2 4.32.4	095		161 27	258 183					NOT #11
08 42	36.16.9 4.34.0	36.15.6 4.32.8	340		175 31	255 183					NOT #12
10 26	36.19.7 4.42.9	36.18.6 4.41.4	305		169 30	250 187					NOT #13
11 51	36.22.8 4.44.5	36.21.7 4.43.8	340		175 34	254 184					NOT #14
13 17	36.26.3 4.47.2	36.25.3 4.46.2	335		177 11	261 188					NOT #15
14 16	36.29.8 4.48.2	36.28.1 4.47.1	355		181 01	270 183	VA				NOT #16
15 17											A/H P/N 119
15 19											more test
											LAND
											TEST
											T10
1556											
1556	36.25.2 4.34.6	36.25.1 4.34.0	221	3 L	223 262	262 262	262 262	012 010	236 5000		NAVL
1604	35.57.3 5.03.4	35.57.2 5.02.5	258	1 L	259 259	253 253	253 253	272 008	259 5000		A/4
1602	35.58.4 5.02.4	35.56.5 5.01.4	259	4 L	263 263	253 253	253 253	273 008	259 5000		ET# 92
OB	5415 5415	5407 5407									

NAVIGATOR'S FLIGHT RECORD

A/C CMDR LIC# OR HAFNR#	NAV LT/TG DCTR/F EN#S WHT/ZTE	SNR #149667	AIRCRAFT BUND 05-1-83 #2	FROM TO	LEN/T	DATE 9 OCT 83	% OF
TIME H/M							REMARKS
1613	10	35 56 2	35 56 2	# 2			
47	10	5 41 9	5 43 9	263	32		
1614	1	35 56 3	35 56 0	270	32		
17	1	5 56 0	5 55 0	273	246		
24		35 56 8	35 56 0				
31		6 44 4	6 43 2	324	10		
1636		36 14 1	36 12 7				
1640		6 58 1	6 57 9	052	20		
1651							

OCEANDEVRON EIGHT 3780/1 (REV B1)

11 OCTOBER 1982

NAVIGATOR'S FLIGHT RECORD

A/C GRADE	C/LIC#	NAME	TYPE	SNR	AIRCRAFT BUNO	TRACK	TO	DATE	L OF
TIME	FROM	TC	DA	TH	GS	WIND	DIST	ETA	REMARKS
						DIRVEL	REM	ATA	
0621	N	VNF	✓	✓					IN USE ACCEPTABLE
0902									
0905									
0915									
0930	26-26.7	26-26.3	26-26.5	26-2	1R	236	267	073	TOFF ✓
0935	6-27.1	6-27.4	6-27.7	6-27.1	1R	236	267	14	NAVL
0945	26-15.2	26-14.9	26-14.8	26-14.8	V	232	266	083	LOV/2 ✓
0950	6-58.0	6-58.9	6-59.4	232	V	232	266	09	AH
0955	25-51.9	25-51.7	25-52.4	25-52.4	V	232	266	09	AH 1 2>C
1005	6-45.7	6-44.8	6-44.1	6-44.1	V	232	266	09	
1010	25-56.6	25-55.6	25-58.1	25-58.1	090	2R	088	252	FOOT
1015	6-50.9	6-50.4	6-50.4	6-50.4	090	2R	088	252	"C" AH D-8"
1020	35-56.6	35-55.6	35-56.1	35-56.1	080	1R	079	252	1020 V
1025	35-59.1	35-57.8	35-58.5	35-58.5	079	1R	078	252	1020 V
1030	35-58.8	35-58.5	35-59.2	35-59.2	079	1R	078	252	1020 V
1035	35-59.3	35-59.3	35-59.3	35-59.3	079	1R	078	252	1020 V
1040	4-56.1	4-57.6	4-59.5	4-59.5	079	2L	079	245	1020 V
1045	26-31.2	26-30.1	26-30.7	26-30.7	079	2L	079	245	1020 V
1050	4-52.1	4-50.5	4-52.5	4-52.5	079	2L	079	245	1020 V
1055	✓								

OCEANDEVON EIGHT 3760/1 (REV 81)

10-10-64

36-30-2 / 9-5-3

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	LIN.	NAME	NAV LTIC DCPNT SNR	TIME	IN S. UH-1E	TIME	NAME	NAV LTIC DCPNT SNR	TIME	IN S. UH-1E	TIME	NAME	NAV LTIC DCPNT SNR	TIME	IN S. UH-1E	TIME	NAME	NAV LTIC DCPNT SNR	TIME	IN S. UH-1E	TIME	NAME	NAV LTIC DCPNT SNR	
CPT 6	1	26-46-3	36-246	4426	#2	TC	DA	TH	GS	WIND	DIRVEL	OS-1-83 #3	CE/12T	FROM	TO	CE/12T	TO	DATE	1 OCT 82	-20F				
17	..	4-42-1	4426	442.1																				
1001		26-15-5	36-155	442.4		V	V	V	V															
02		26-07-1	36-073	442.9																				
00		4-42-0	4-42.0	180	242	178	260	109	255	V	V													
05		35-56-6	35-566	35-56.4		V	V	V	V															
10		44110	44110	44110																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		44110	44110	44110																				
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				
17		26-234	35-235	35-229	255	V	V	V	V															
15		4-42-6	4-42.6	4-42.7	4427																			
18		35-58-1	35-581	35-586	2546	V	V	V	V															
19		35-400	35-419	35-415	4440	V	V	V	V															
32		44110	44110	44110																				
20		35-58-2	35-581	35-588	2548	V	V	V	V															
42		4-42-0	4-42.0	4-42.1	4421																			
10		25-281	25-281	25-283	35-228	V	V	V	V															
00		4-42-9	4429	4429																				

OCEANDEVRON EIGHT 3760/1 (REV 81)

NAVIGATOR'S FLIGHT RECORD

A/C CMDR LCDR MAITZELL	NAV LT JC WOPAI ST EADS WHT ITG 240	SNR #2	AIRCRAFT BUNO 149667	TRACK 05-1-83 & 3	FROM LE/12 T	TO LE/12 T	DATE 11 OCT 82	OF
TIME INS ENR	TC DA	TH	GS DIR/VEL	TAS	ALT	DIST REM +TOT	ETA ETE	REMARKS
1025 10 36-055 36-055 36-049 36-049	TC DA	007 218	08 ¹ /7	215	1,000			#8
40 4-440 4-440 4-440	TC DA	007 218	08 ¹ /7	215	1,000			
27 36-10-5 36-10-5 36-099 36-099	TC DA	001 213	020 ² /8	217	V			#99
02 4-440 4-440 4-440	TC DA	001 213	020 ² /8	217	V			#9
28 36-15-7 36-15-7 36-15-0 36-15-0	TC DA	001 213	020 ² /6	218	V			#10
28 4-43-9 4-43-9 4-43-9 4-43-9	TC DA	001 213	020 ² /6	218	V			
29 36-30-6 36-30-3 36-30-0 36-30-0	TC DA	001 213	020 ² /6	218	V			#100
50 4-43-9 4-43-9 4-43-9 4-43-9	TC DA	001 213	020 ² /6	218	V			#11
31 36-35-8 36-35-8 36-35-2 36-35-2	TC DA	001 213	020 ² /6	218	V			#101 #111
15 4-44-0 4-44-0 4-44-0 4-44-0	TC DA	001 213	020 ² /6	218	V			#12
35 36-20-1 36-20-1 36-20-3 36-20-3	TC DA	001 213	020 ² /6	218	V			PJT#102
06 4-32-1 4-32-1 4-22-3 4-22-3	TC DA	001 213	020 ² /6	218	V			
37 36-20-8 36-20-8 36-19-9 36-19-9	TC DA	001 213	020 ² /6	218	V			PJT#103 VLF DR
25 4-20-8 4-20-8 4-21-0 4-21-0	TC DA	001 213	020 ² /6	218	V			
40 36-10-8 36-10-8 36-09-8 36-09-8	TC DA	001 213	020 ² /6	218	V			KST#104
02 4-20-5 4-20-5 4-21-0 4-21-0	TC DA	001 213	020 ² /6	218	V			WDT VLF
42 36-01-1 36-01-1 36-00-0 36-00-0	TC DA	001 213	020 ² /6	218	V			PJT#105-
25 4-20-7 4-20-7 4-31-0 4-31-0	TC DA	001 213	020 ² /6	218	V			
44 35-51-1 35-51-1 35-49-8 35-49-8	TC DA	001 213	020 ² /6	218	V			PJT#106
53 4-20-7 4-20-7 4-31-0 4-31-0	TC DA	001 213	020 ² /6	218	V			
47 35-41-3 35-41-3 35-40-0 35-40-0	TC DA	001 213	020 ² /6	218	V			PJT#107
21 4-30-6 4-30-6 4-31-0 4-31-0	TC DA	001 213	020 ² /6	218	V			
49 35-21-4 35-21-4 35-20-1 35-20-1	TC DA	001 213	020 ² /6	218	V			PJT#108
50 4-30-6 4-30-6 4-31-0 4-31-0	TC DA	001 213	020 ² /6	218	V			#114
51 35-21-4 35-21-4 35-20-1 35-20-1	TC DA	001 213	020 ² /6	218	V			PJT#109
05 4-18-2 4-18-2 4-18-4 4-18-4	TC DA	001 213	020 ² /6	218	V			

NAVIGATOR'S FLIGHT RECORD

A/C CHDR	NAV T/TG P/CP A/R/T	SNR	AIRCRAFT BUNO	TRACK	FROM	TO	DATE	Y OF					
TIME	N/S E/W	VLF	#2	TC	DA	TH	GS	WIND DIR/VEL	05-1-83	LEAD	LEAD	DATE	Y OF
1055	N 35 41.3	35 39.4	35 40.0	✓					164				
34	4.17.6	4.17.0	4.18.1	36d	d	36d	240	000	242/000				BTW 110
✓	35.51.3	35.49.4	35.50.0	✓		✓	✓	187					
1111	36.01.3	36.01.9	36.00.0	✓		✓	✓	180					BT # 111
✓	4.17.6	4.16.8	4.15.0	✓		✓	✓	248	006 243	✓			
✓	4.17.6	4.16.7	4.16.6	✓		✓	✓	247	002 246	✓			BT # 112
✓	36.11.3	36.09.3	36.10.0	✓		✓	✓	253					
✓	4.17.5	4.16.8	4.16.6	✓		✓	✓	245	001 244	✓			BT # 113
✓	36.21.3	36.19.2	36.20.0	✓		✓	✓	358					
✓	4.17.5	4.16.6	4.18.0	✓		✓	✓	244	008 244	✓			BT # 114
✓	36.31.2	36.29.1	36.26.0	✓		✓	✓	080					
✓	4.17.5	4.16.5	4.18.0	✓	2L	✓	✓	244	008 244	✓			BT # 115
✓	36.40.9	36.38.0	36.37.6	✓		✓	✓	090					
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	228	008	✓			
✓	36.41.0	36.39.4	36.37.7	✓		✓	✓	100					
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	233	017	✓			
✓	36.41.4	36.39.6	36.38.0	✓		✓	✓	058					
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	100					
✓	36.41.4	36.39.6	36.38.0	✓		✓	✓	000	000	✓			
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	036	003 243	✓			BT # 116
✓	36.41.5	36.09.3	36.10.0	✓		✓	✓	036	003 243	✓			BT # 117
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	036	003 243	✓			BT # 118
✓	36.41.5	36.09.3	36.10.0	✓		✓	✓	036	003 243	✓			BT # 119
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	036	003 243	✓			BT # 120
✓	36.41.5	36.09.3	36.10.0	✓		✓	✓	036	003 243	✓			BT # 121
✓	4.17.0	4.17.1	4.17.5	✓		✓	✓	036	003 243	✓			BT # 122

OCEANDEVON EIGHT 378001 (REV 81)

NAVIGATOR'S FLIGHT RECORD

AIRCRAFT	TIME	MWS EWN	HGT FEET	NAV L136	FLGS	WITHT	SNR	142 KENIC ING	AIRCRAFT BNO	TRACK	FROM	TO	CERT	DATE	OF	
		#	1	VL	F	D	T	DA	TH	GS	WIND DIRVEL	TAS	ALT	DIST +TOT	ETA ATA	REMARKS
1127 N	15.41.7	35.17.8	155.40.0							063	700					
132 W	4.04.3	4.03.2	4.05.0	180	12	179	247	003	243	003				DT # 123		
21	25.32.3	15.20.5	25.30.5												AT/H	
56	4.03.7	4.14.6	4.04.6					2410							DT # 124	
55	4.7	35.31.7	35.32.9							076					BT # 125	
54	51.4	35.30.8	35.31.6							076					BT # 124 SEC	
55	41.7	35.39.11	35.40.0							003	246					
53	51.3	31.47.8	3.52.0	360	✓	360	239	001	241	003	246				BT # 126	
57	51.8	35.45.12	35.50.6							003	246					
54	51.1	3.49.7	2.52.0	✓	12	359	242	003	241	003	246				BT # 127	
56	51.8	35.59.0	36.00.6							003	246					
50	51.4	3.49.8	3.52.0	✓	12	359	244	005	242	005	246				BT # 128	
41	36.11.8	16.09.0	36.10.0							093						
58	51.4	3.49.8	3.53.0	✓	✓	360	244	001	244	001	246				BT # 129	
42	36.21.9	36.19.0	36.19.9							031					VLF AUTO ON	
50	51.4	3.49.4	3.52.0	✓	✓	✓	✓	243	600	243	✓				BT # 130	
46	36.31.9	36.29.7	36.30.0							117						
54	51.4	3.52.0	3.52.0	✓	12	001	244	005	242	005	246				DT # 131	
49	36.42.0	36.39.4	36.40.0							070						
55	50.5	3.52.6	3.51.0							276	010				DT # 132	
58	41.6	26.39.9	26.39.4							105						
61	338.4	3.37.3	3.37.0	180						235	004				DT # 133	
54	36.32.3	36.30.3	36.30.0							045						
21	3.38.2	3.39.2	3.38.9	181	✓	181	242	001	242	✓					DT # 134	
55	36.23.4	36.20.4	36.20.0	✓	180	245	005	243	✓	015						
54	38.2	3.39.1	3.39.0	180	✓	180	245	005	243	✓					DT # 135	

OCEANEVRON EIGHT 3760/1 (REV 81)

NAVIGATOR'S FLIGHT RECORD

A/C CMDR LIC# 111172E11	NAV L/T JG DPMR1 SNR F103 WHITE	N/L FEB 1974	AIRCRAFT BUNO			TRACK			FROM			TO		DATE		
			TIME	IN/S E/W	#	F	T	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	EET	ETA ATA
1153 N	36.12.4	26.10.5	36.04.9													BT # 136
21	N	3.38.2	1.39.2	3.39.0	1.80	✓			180	246	004	243	1000			VL = INTU VLF
12	W	3.6.02.6	3.6.01.1	3.6.00.0		✓						356				BT # 137
45		3.38.1	3.38.9	3.39.0							248	005	243			
54		35.52.7	35.50.5	35.50.0								356				
69		3.38.0	3.39.4	3.39.0		✓						250	007	244	✓	BT # 138
76		35.42.8	35.40.7	35.40.0								048				
74		3.37.9	3.39.4	3.39.0		✓						007	244	✓		BT # 139
08		35.34.9	35.38.9	35.32.0								055				BT # 140
33		3.37.0	3.38.6	3.38.1		✓						247	007	244	✓	BT # 141
11		35.33.4	35.30.3	35.30.5								095				
62		3.35.2	3.38.0	3.38.3	036							009				
13		35.42.7	35.39.9	35.40.0					001			152				
32		3.34.8	3.36.4	3.26.0	36.6	1.			343	003	242	✓				BT # 142
16		35.52.9	35.50.0	35.50.0								187				
04		3.24.8	3.26.5	3.26.0		✓	9	360	243	003	242	✓				OT # 143
18		36.02.9	35.59.9	36.00.0								164				
22		3.24.8	3.26.4	3.26.0		✓						243	003	244	✓	BT # 144
30		36.13.0	36.09.8	36.10.0								159				
54		3.24.8	3.26.3	3.26.0		✓						245	003	244	✓	BT # 145
23		36.03.0	36.19.8	36.20.0		✓						163				BT # 146
22		3.24.8	3.26.5	3.26.0		✓						244	002	244	✓	
25		36.33.0	36.29.8	36.20.0								151				
47		3.24.7	3.26.4	3.26.0		✓			001			244	005	244	✓	BT # 147
56		36.43.0	36.39.6	36.40.0								050				BT # 148
12		3.24.7	3.26.5	3.25.9								004	244			

NAVIGATOR'S FLIGHT RECORD

NAUTRONIC
Exhibit C

L17N2-10
L10 TONE
LINE 150402Z

PILOTS 4-10 (after weather update)


scott ~ abm from L10
add. ~ b to L10b.


NAVIGATOR'S FLIGHT RECORD


A/C CMDR	NAV	SNR	AIRCRAFT BU NO	TRACK	05-19343	LEN/T	TO 10077	DATE 110502Z	B OF		
TIME EMT	N/S	#1	V/LF	#2	TC	DA	TAS	ALT	DIST REM +TOT	ETA ATA	REMARKS
1309 N	35.53.2	25.46.3	35.49.1								
1322 W	4.29.3	4.42.1	4.41.0								
11	35.59.4	35.54.6	35.55.2	62S		066					SCOT#44
22	4.38.3	4.40.2	4.40.0			019	6	222			SCOT#5
12	26.02.6	35.58.3	26.58.7			180					202#6
18	4.29.5	4.40.9	4.41.3			1					
13	26.06.4	36.01.7	26.02.3								SCOT#7
22	4.40.7	4.42.1	4.42.5								
14	26.12.1	26.05.5	26.07.9			078					SCOT#8
55	4.42.1	4.42.8	4.43.8			5					
16	26.17.1	26.12.3	26.13.2								SCOT#9
28	4.40.1	4.43.0	4.41.8								
17	26.21.9	26.16.8	26.17.7			153					202#10
55	4.26.7	4.39.9	4.38.5			5					
18	26.25.7	26.20.7	26.21.5								SCOT#11
58	4.35.0	4.37.3	4.36.8								
21	26.20.5	26.26.0	26.26.2			113					202#12
19	4.43.1	4.45.1	4.45.0			10					C
33											NAUTRIC SC HED
60	4.50.1	4.52.1	4.52.1								4.52.3
23	26.24.4	26.20.1	26.20.0	180	12	179	247	5	244	1000	202#137
48	4.54.9	4.57.3	4.57.0								PT#158
50	36.04.6	36.00.1	36.00.0		0	180	251	7	1		PT#159
15	4.54.8	4.57.5	4.57.0								A/H


NAVIGATOR'S FLIGHT RECORD


A/C CALLSIGN L/C DR HAWTHORPE	NAV 446 DEPART 1951H1115	SNAF M/R VERT 1114	AIRCRAFT BUNO 1496672	TRACK 05.183N3	FROM LORT	To LORT	DATE 11 OCT 22	OF					
TIME INS	#1	VLF	#2	TC DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ATA	REMARKS
33210	26.044	25.59.9	25.59.7	273	1L	274	251	244	1,000'				ET#160
36130	5.044	507.4	506.7										ET#161
34130	36.047	35.59.9	36.00.0	276	2L	272	255	246	10	246	✓		ET#162
17	5.13.1	516.6	515.4										
35310	36.041.3	35.58.4	36.59.5	260	1L	241	256	255	11	256	✓		ET#163
31	514.6	503.6	5.22.0										
37	36.03.0	35.50.2	35.58.3	256	1L	259	259	258	13	259	✓		ET#164
08	5.27.8	531.7	5.20.1										
38	36.01.5	35.8.7	35.56.5	263	0	263	259	254	14	263	✓		ET#165
58	532.2	541.2	541.1										
40	35.52.3	35.58.1	369	1L	270	268	080	15	✓	✓			ET#166
39	5419.0	547.8											
41	36.00.9	35.52.3	35.56.0	290	0	270	261	259	13	270	✓		ET#167
15	549.3	553.2	551.9										
12	36.00.9	35.52.4	35.58.0	1	0	1	260	254	7	251	✓		POINT AII
22	5.55.3	554.5	557.9										
1361	36.04.0	35.54.3	35.54.0										
00	6.40.9	644.6	642.0										
1353	36.06.7	36.02.2	36.01.7										POINT CII
	646.7	650.2	649.5										
1357	36.22.0	36.12.0	36.17.1										POINT DII
	655.7	700.0	658.6										
1419													END MAP













11 OCT

TEMPERATURE (C°) SPAIN
AT 100 METERS





13 OCTOBER 1982

NAVIGATOR'S FLIGHT RECORD

A/C CHDR L/C DR HADZELL	NAV L/T JG DEPART ENR'S COFFITTE	SNR MIL KERF CIN C	AIRCRAFT BNO 149667	TRACK 05-1-83 #4	FROM (CPT)	TO (CPT)	DATE 13 OCT 82	OF		
TIME HRS #	MIN #	TC #	DA	TH	GS	WIND DIR/VEL	ALT +TOT	DIST REM	ETA ATA	REMARKS
0832	0									IUS ACCEPT
0844	4									TAXI
0854	4									TC OFF / LERT
0911	1	6.45.6	6.45.2	6.46.0	147	4	147	251	257	PSET
0922	2	7.06.5	7.07.8	7.06.8	222	32	225	252	257	PSET
0939	2	6.36.6	6.37.6	6.36.2	223	32	225	254	262	PSET
0954	2	26.08.7	26.07.9	26.08.4	223	32	225	252	261	PSET
1011	1	6.45.6	6.45.2	6.46.0	147	4	147	251	257	PSET
1024	1	5.45.0	5.45.4	5.45.3	060	34	088	259	254	PSET
1041	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1051	1	6.48.9	6.49.5	6.49.3	060	15	089	262	257	PSET
1101	2	35.55.0	35.55.4	35.55.1	061	15	089	262	257	PSET
1116	2	35.55.2	35.55.8	35.56.3	060	15	089	262	257	PSET
1131	2	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1146	2	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1156	2	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1211	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1226	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1241	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1256	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1311	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1326	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1341	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1356	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1411	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1426	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1441	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1456	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1511	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1526	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1541	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1556	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1611	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1626	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1641	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1656	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1711	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1726	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1741	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1756	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1811	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1826	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1841	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1856	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1911	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1926	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1941	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
1956	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2011	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2026	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2041	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2056	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2111	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2126	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2141	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2156	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2211	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2226	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2241	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2256	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2311	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2326	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2341	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2356	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2311	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2326	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2341	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2356	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2411	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2426	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2441	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2456	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2511	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2526	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2541	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2556	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2611	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2626	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2641	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2656	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2671	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2686	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2701	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2716	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2731	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2746	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2761	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2776	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2791	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2806	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2821	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2836	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2851	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2866	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2881	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2896	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2911	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2926	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2941	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2956	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2971	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2986	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
2991	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3006	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3021	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3036	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3051	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3066	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3081	1	5.45.0	5.45.4	5.45.3	060	15	089	262	257	PSET
3096	1	5.45.0	5.45.4	5.45.3	060	15				

NAVIGATOR'S FLIGHT RECORD

A/C CMDR LC.DS 14 AIR FORCE	TIME IN EWT	NAVLT JG DOP ART		SNR EADS (W)-ITE		AIRCRAFT BUNO		TRACK		FROM LEAD		TO (ERT		DATE 13 OCT 62			
		#	1	VLF	#	2	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ATA	REMARKS
0944	1	26	11.1	36	11.5	36	11.1	165	82	172	263	251	1000				POSI T
10	4414	4.41.0	4.41.3														
46	26.02.3	26.02.6	26.02.7	V	72	172	269	205	34	255	V						POSI T
00	41.28.7	4.28.1	4.28.0														
48				35.54.1													POSI T
00				4.25.7													
50				25.44.9													POSI T
14				4.32.6													
51				25.41.1													POSI T
10				4.31.1													90/270
57	25.43.1	25.43.3	25.43.8	246	9R	337	169	276	34	253	V						SEMI
42	4	21.8	4.21.1	4	22.0												PUR. EASY MARKS
58	25.46.4	25.46.6	25.46.1	345	V	336	167	277	20	186	V						2.04.2
55	41.32.9	4.32.1	4.33.0														
59	25.49.0	25.49.2	25.48.7	V	7R	338	V	275	23	182	V						SP#3
53	4.33.7	4.33.1	4.32.9														
1000	35.51.9	35.52.1	35.51.6	344	9R	325	171	278	11	190	V						28.04
57	4.34.7	4.34.1	4.34.9														
02	35.54.9	35.55.2	35.54.6	345	V	324	168	273	18	181	V						28.05
02	4.35.7	4.35.3	4.35.9														
13	35.57.8	35.57.9	35.57.5	V	V	/											SUHL
08	4.36.7	4.36.2	4.36.9	V	V												
04	26.00.6	26.00.6	26.00.7	244	V	335	V	272	27	182	V						28.07
09	4.37.7	4.37.1	4.37.8														
05	26.02.6	26.02.7	26.03.2	V	V	V											28.08
15	4.38.7	4.38.2	4.38.8														

NAVIGATOR'S FLIGHT RECORD

A/C C/N/DR	H/A/T/E/C	NAV CT/JG	POWERT	SNR	AIRCRAFT BOUND				TRACK				05-1-83 # 4				FROM		TO		DATE		S OF	
					TIME	NIS	EMW	# 1	VLF	# 2	TC	DA	TH	GS	WIND	DIAVEL	TAS	ALT	DIST	REM	ETE	ETA	ATA	REMARKS
1006	14-36-06-4	26-06-5	26-06-0	344	10K	22-4	167	275		184	1,608												SP#9	
1018	14-39-6	4-39-1	4-39-8	099	10K	22-4	167	275		184	1,608												SP#10	
1021	14-40-3	26-09-1	26-09-9		11R	333	V	230	V														SP#11	
1022	14-40-6	4-40-2	4-40-8		10R	321	V	249	V															
1028	26-12-2	26-12-1	26-11-8		10R	321	V	165	21	180	V													
1027	4-41-6	4-41-2	4-41-8		10R	321	V	165	21	180	V													
1029	26-15-1	26-15-1	36-14-7		10R	321	V	165	21	180	V													
1032	4-42-6	4-42-3	4-42-8		10R	321	V	171	22	183	V												SP#12	
1036	18-18-1	36-17-9	36-17-7		10R	321	V	172	22	183	V												SP#13	
1037	4-43-6	4-43-2	4-43-8		10R	321	V	172	22	183	V													
1041	26-21-0	26-20-8	26-20-6		9R	325	V	261	175	184	V												SP#14	
1049	4-44-6	4-44-0	4-44-8		7R	327	V	261	175	184	V												SP#15	
1052	26-23-8	26-23-6	26-23-4		7R	327	V	168	180	180	V												100% H/H	
1058	4-45-5	4-44-9	4-45-7		7R	327	V	178	21	180	V													
1059																								
1100																								
1104																								
1109	26-26-3	36-26-1	26-25-8		7L	171	V	228	259	271	200												SP#16	
1111	4-46-7	4-47-3	4-47-0		8L	173	V	234	259	271	200													
1131					19-1	26-19-1	V	8L	173	271	200												PC#17	
1136					4-44-3	19-44-3	V	8L	173	271	200													
1137	26-12-0	26-11-8	26-11-5		16-5	7L	V	234	259	271	200												PC#18	
1138	4-44-2	4-44-7	4-44-7		16-5	7L	V	234	259	271	200													
1139	26-04-3	26-04-1	26-02-7		16-5	7L	V	234	259	271	200													
1140	4-38-6	4-39-0	4-38-0		16-5	7L	V	234	259	271	200													
1141	25-52-3	25-52-1	25-55-7		16-5	7L	V	234	259	271	200													
1142	4-35-8	4-36-5	4-36-3		16-5	7L	V	234	259	271	200													

NAVIGATOR'S FLIGHT RECORD

TIME	M/S	#	A/C CMDR	NAVLTFT DOWNTIME	S/N	AIRCRAFT BUNO	TRACK	FROM			TO					
								TC	DA	TH	GS	WIND DIR/VEL	ALT	DIST +TOT	ETA EST	ETA ATA
1029	N	25-481	25-479	35-475	164	164	169	256	202	220	208	32				POSIT
00	W	4-330	4-335	4-325	4-325	164	164	256	202	220	208	32				POSIT
20	1	25-423	25-422	25-417	164	164	164	256	202	220	208	32				POSIT
17	4	31.1	4-215	4-215	4-31.5	164	164	256	202	220	208	32				POSIT
47	35-431	35-424	35-424	35-424	34.7	164	346	250	206	254	10,000					POSIT
47	4-31.7	4-321	4-321	4-321	4-32.3	164	164	256	202	220	208	32				POSIT
50	35-51.9	35-51.7	35-51.7	35-51.7	35-51.9	164	164	256	202	220	208	32				POSIT
47	4-34.4	4-346	4-346	4-346	4-34.4	164	164	256	202	220	208	32				POSIT
51	35-59.7	35-59.6	35-59.6	35-59.6	35-59.7	164	164	256	202	220	208	32				POSIT
60	4-37.0	4-37.3	4-37.3	4-37.3	4-37.0	164	164	256	202	220	208	32				POSIT
54	26-07.5	26-07.5	26-07.4	26-07.4	26-07.5	164	164	256	202	220	208	32				POSIT
56	26-11.8	26-11.8	26-11.8	26-11.8	26-11.8	164	164	256	202	220	208	32				POSIT
60	4-29.7	4-39.9	4-39.9	4-39.9	4-39.7	164	164	256	202	220	208	32				POSIT
60	4-45.1	4-45.2	4-45.2	4-45.2	4-45.1	164	164	256	202	220	208	32				POSIT
60	4-45.4	4-45.5	4-45.5	4-45.5	4-45.4	164	164	256	202	220	208	32				POSIT
54	26-21.3	26-22.8	26-22.8	26-22.8	26-21.3	164	164	256	202	220	208	32				X FRONT
56	4-43.9	4-43.0	4-43.0	4-43.0	4-43.9	164	164	256	202	220	208	32				POSIT
54	26-27.6	26-27.1	26-27.6	26-27.6	26-27.6	164	164	256	202	220	208	32				POSIT
54	4-46.6	4-46.6	4-46.6	4-46.6	4-46.6	164	164	256	202	220	208	32				POSIT
54	26-28.4	26-28.6	26-28.6	26-28.6	26-28.4	164	164	256	202	220	208	32				POSIT
54	4-44.4	4-44.7	4-44.7	4-44.7	4-44.4	164	164	256	202	220	208	32				POSIT
54	26-16.5	26-16.9	26-16.9	26-16.9	26-16.5	164	164	256	202	220	208	32				POSIT
54	4-47.7	4-47.9	4-47.9	4-47.9	4-47.7	164	164	256	202	220	208	32				POSIT
54	26-17.1	26-17.3	26-17.3	26-17.3	26-17.1	164	164	256	202	220	208	32				POSIT
54	4-48.5	36-08.5	36-08.0	36-08.0	4-48.5	164	164	256	202	220	208	32				POSIT
54	4-49.6	4-49.8	4-49.8	4-49.8	4-49.6	164	164	256	202	220	208	32				POSIT
54	4-49.7	4-49.9	4-49.9	4-49.9	4-49.7	164	164	256	202	220	208	32				POSIT
54	4-50.0	4-50.2	4-50.2	4-50.2	4-50.0	164	164	256	202	220	208	32				POSIT
54	4-50.1	4-50.3	4-50.3	4-50.3	4-50.1	164	164	256	202	220	208	32				POSIT
54	4-50.2	4-50.4	4-50.4	4-50.4	4-50.2	164	164	256	202	220	208	32				POSIT
54	4-50.3	4-50.5	4-50.5	4-50.5	4-50.3	164	164	256	202	220	208	32				POSIT
54	4-50.4	4-50.6	4-50.6	4-50.6	4-50.4	164	164	256	202	220	208	32				POSIT
54	4-50.5	4-50.7	4-50.7	4-50.7	4-50.5	164	164	256	202	220	208	32				POSIT
54	4-50.6	4-50.8	4-50.8	4-50.8	4-50.6	164	164	256	202	220	208	32				POSIT
54	4-50.7	4-50.9	4-50.9	4-50.9	4-50.7	164	164	256	202	220	208	32				POSIT
54	4-50.8	4-51.0	4-51.0	4-51.0	4-50.8	164	164	256	202	220	208	32				POSIT
54	4-50.9	4-51.1	4-51.1	4-51.1	4-50.9	164	164	256	202	220	208	32				POSIT
54	4-51.0	4-51.2	4-51.2	4-51.2	4-51.0	164	164	256	202	220	208	32				POSIT
54	4-51.1	4-51.3	4-51.3	4-51.3	4-51.1	164	164	256	202	220	208	32				POSIT
54	4-51.2	4-51.4	4-51.4	4-51.4	4-51.2	164	164	256	202	220	208	32				POSIT
54	4-51.3	4-51.5	4-51.5	4-51.5	4-51.3	164	164	256	202	220	208	32				POSIT
54	4-51.4	4-51.6	4-51.6	4-51.6	4-51.4	164	164	256	202	220	208	32				POSIT
54	4-51.5	4-51.7	4-51.7	4-51.7	4-51.5	164	164	256	202	220	208	32				POSIT
54	4-51.6	4-51.8	4-51.8	4-51.8	4-51.6	164	164	256	202	220	208	32				POSIT
54	4-51.7	4-51.9	4-51.9	4-51.9	4-51.7	164	164	256	202	220	208	32				POSIT
54	4-51.8	4-52.0	4-52.0	4-52.0	4-51.8	164	164	256	202	220	208	32				POSIT
54	4-51.9	4-52.1	4-52.1	4-52.1	4-51.9	164	164	256	202	220	208	32				POSIT
54	4-52.0	4-52.2	4-52.2	4-52.2	4-52.0	164	164	256	202	220	208	32				POSIT
54	4-52.1	4-52.3	4-52.3	4-52.3	4-52.1	164	164	256	202	220	208	32				POSIT
54	4-52.2	4-52.4	4-52.4	4-52.4	4-52.2	164	164	256	202	220	208	32				POSIT
54	4-52.3	4-52.5	4-52.5	4-52.5	4-52.3	164	164	256	202	220	208	32				POSIT
54	4-52.4	4-52.6	4-52.6	4-52.6	4-52.4	164	164	256	202	220	208	32				POSIT
54	4-52.5	4-52.7	4-52.7	4-52.7	4-52.5	164	164	256	202	220	208	32				POSIT
54	4-52.6	4-52.8	4-52.8	4-52.8	4-52.6	164	164	256	202	220	208	32				POSIT
54	4-52.7	4-52.9	4-52.9	4-52.9	4-52.7	164	164	256	202	220	208	32				POSIT
54	4-52.8	4-53.0	4-53.0	4-53.0	4-52.8	164	164	256	202	220	208	32				POSIT
54	4-52.9	4-53.1	4-53.1	4-53.1	4-52.9	164	164	256	202	220	208	32				POSIT
54	4-53.0	4-53.2	4-53.2	4-53.2	4-53.0	164	164	256	202	220	208	32				POSIT
54	4-53.1	4-53.3	4-53.3	4-53.3	4-53.1	164	164	256	202	220	208	32				POSIT
54	4-53.2	4-53.4	4-53.4	4-53.4	4-53.2	164	164	256	202	220	208	32				POSIT
54	4-53.3	4-53.5	4-53.5	4-53.5	4-53.3	164	164	256	202	220	208	32				POSIT
54	4-53.4	4-53.6	4-53.6	4-53.6	4-53.4	164	164	256	202	220	208	32				POSIT
54	4-53.5	4-53.7	4-53.7	4-53.7	4-53.5	164	164	256	202	220	208	32				POSIT
54	4-53.6	4-53.8	4-53.8	4-53.8	4-53.6	164	164	256	202	220	208	32				POSIT
54	4-53.7	4-53.9	4-53.9	4-53.9	4-53.7	164	164	256	202	220	208	32				POSIT
54	4-53.8	4-54.0	4-54.0	4-54.0	4-53.8	164	164	256	202	220	208	32				POSIT
54	4-53.9	4-54.1	4-54.1	4-54.1	4-53.9	164	164	256	202	220	208	32				POSIT
54	4-54.0	4-54.2	4-54.2	4-54.2	4-54.0	164	164	256	202	220	208	32				POSIT
54	4-54.1	4-54.3	4-54.3	4-54.3	4-54.1	164	164	256	202	220	208	32				POSIT
54	4-54.2	4-54.4	4-54.4	4-54.4	4-54.2	164	164	256	202	220	208	32				POSIT
54	4-54.3	4-54.5	4-54.5	4-54.5	4-54.3	164	164	256	202	220	208	32				POSIT
54	4-54.4	4-54.6	4-54.6	4-54.6	4-54.4	164	164	256	202	220	208	32				POSIT
54	4-54.5	4-54.7	4-54.7	4-54.7	4-54.5	164	164	256	202	220	208	32				POSIT
54	4-54.6	4-54.8	4-54.8	4-54.8	4-54.6	164	164	256	202	220	208	32				POSIT
54	4-54.7	4-54.9	4-54.9	4-54.9												

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	HOLD/TIME	NAVLT/JG DOPART	ENRUS CO-PILOT	1400Z RF B(I)U(E)	AIRCRAFT BUNO	TRACK	05 - 1-63 #4	CERT	TO CERT	DATE 130762	- or		
TIME	INS	#1	VLF	#2	TC	DA	TH	GS	WIND DIR/VEL	ALT	DIST REM	ETA ATA	REMARKS
1112	10	36.000	35.58.4	35.57.6					273				
1200	4.38.6	4.38.4	4.39.5	165	6L	171	347	036	24110000				POSIIT
1108													CAT E F2/2
14	35.50.4	35.49.8	35.49.9										
34	4.35.3	4.35.2	4.36.2	165	5L	170	248	024	243	10PMW			POSIIT
16	35.48.6	35.42.0	35.42.1						289				
32	4.33.6	4.33.5	4.33.5						317				
24	35.43.3	35.42.5	35.42.5						317				
31	4.38.7	4.28.5	4.28.5						317				
26	35.49.3	35.48.5	35.48.5						317				
06	4.30.7	4.30.6	4.31.7						317				
28	35.52.5	35.56.8	35.56.6						317				
30	4.32.4	4.23.4	4.34.1						317				
30	36.05.9	36.04.9	36.04.8						317				
24	4.36.2	4.36.1	4.37.4	344	✓	✓	✓	232	011	248	✓		POSIIT
32	36.11.9	36.10.9	36.10.6						250				
00	4.38.3	4.38.2	4.39.4	345	40	341	240	015	245	✓			POSIIT
34	36.20.3	36.18.7	36.18.6						250				
02	4.41.1	4.40.9	4.42.2						250				
35	36.27.9	36.25.7	36.25.7						250				
59	4.43.7	4.43.4	4.44.6	344	40	340	241	015	244	✓			POSIIT
78	36.33.9	36.30.4	36.30.5										NOT PILOTED
50	4.51.6	4.51.6	4.52.2										36.30.2
142	36.22.4	36.17.1	36.16.9	1af									4.52.3
55	4.43.6	4.42.2	4.43.6										36.30.1

OCEANEDEVON EIGHT 37801 (REV B1)

1C-FD

NAVIGATOR'S FLIGHT RECORD

AIRCRAFT REGISTRATION	NAME & GRADE	DOPPLER EQUIPMENT NUMBER	TIME IN HRS MINS	HEADINGS			AIRCRAFT BUNO			TRACK			FROM LEAD			TO LEAD			REMARKS
				TC	DA	TH	GS	DIR/VEL	WIND	ALT	DIST +TOT	TAS	ETE	ETA	ETE	ETA	ETE	OF	
11-5610	25-249	25-413	2:41:	# 2	VLF	010	196	291		500								MOT SPB #4	
10-210	4-242	4-207	4:21:				196	296										105 min lead!	
1201	25-580	25-573	2:25:				276	276										SPB #2	
59	1-236	1-299	4-211				28	28											
58	26-023	25-533	1:53:				291	291											
57	4-250	4-310	4-243				291	291											
56	4-250	4-310	4-243				291	291											
55	4-270	4-223	4-338				291	291											
01	26-163	25-565	3:56:				291	291											
54	4-353	4-310	4-323				291	291											
00	4-260	4-215	4-329				291	291											
01	4-250	4-209	4-322				291	291											
02	26-130	26-025	3:50:				291	291											
53	4-270	4-223	4-338				291	291											
03	26-156	26-056	3:56:				291	291											
04	4-414	4-264	4-329				291	291											
05	26-210	36-111	3:08:				291	291											
06	4-405	4-256	4-321				291	291											
07	26-210	36-111	3:08:				291	291											
08	4-412	4-263	4-325				291	291											
09	26-156	26-056	3:56:				291	291											
10	4-414	4-264	4-329				291	291											
11	26-210	36-111	3:08:				291	291											
12	26-213	36-111	3:08:				291	291											
13	26-213	36-111	3:08:				291	291											
14	26-213	36-111	3:08:				291	291											
15	26-213	36-111	3:08:				291	291											
16	26-213	36-111	3:08:				291	291											
17	26-213	36-111	3:08:				291	291											
18	26-213	36-111	3:08:				291	291											
19	26-213	36-111	3:08:				291	291											
20	26-213	36-111	3:08:				291	291											
21	26-213	36-111	3:08:				291	291											
22	26-213	36-111	3:08:				291	291											
23	26-213	36-111	3:08:				291	291											
24	26-213	36-111	3:08:				291	291											
25	26-213	36-111	3:08:				291	291											
26	26-213	36-111	3:08:				291	291											
27	26-213	36-111	3:08:				291	291											
28	26-213	36-111	3:08:				291	291											
29	26-213	36-111	3:08:				291	291											
30	26-213	36-111	3:08:				291	291											
31	26-213	36-111	3:08:				291	291											
32	26-213	36-111	3:08:				291	291											
33	26-213	36-111	3:08:				291	291											
34	26-213	36-111	3:08:				291	291											
35	26-213	36-111	3:08:				291	291											
36	26-213	36-111	3:08:				291	291											
37	26-213	36-111	3:08:				291	291											
38	26-213	36-111	3:08:				291	291											
39	26-213	36-111	3:08:				291	291											
40	26-213	36-111	3:08:				291	291											
41	26-213	36-111	3:08:				291	291											
42	26-213	36-111	3:08:				291	291											
43	26-213	36-111	3:08:				291	291											
44	26-213	36-111	3:08:				291	291											
45	26-213	36-111	3:08:				291	291											
46	26-213	36-111	3:08:				291	291											
47	26-213	36-111	3:08:				291	291											
48	26-213	36-111	3:08:				291	291											
49	26-213	36-111	3:08:				291	291											
50	26-213	36-111	3:08:				291	291											
51	26-213	36-111	3:08:				291	291											
52	26-213	36-111	3:08:				291	291											
53	26-213	36-111	3:08:				291	291											
54	26-213	36-111	3:08:				291	291											
55	26-213	36-111	3:08:				291	291											
56	26-213	36-111	3:08:				291	291											
57	26-213	36-111	3:08:				291	291											
58	26-213	36-111	3:08:				291	291											
59	26-213	36-111	3:08:				291	291											
60	26-213	36-111	3:08:				291	291											
61	26-213	36-111	3:08:				291	291											
62	26-213	36-111	3:08:				291	291											
63	26-213	36-111	3:08:				291	291											
64	26-213	36-111	3:08:				291	291											
65	26-213	36-111	3:08:				291	291											
66	26-213	36-111	3:08:				291	291											
67	26-213	36-111	3:08:				291	291											
68	26-213	36-111	3:08:				291	291											
69	26-213	36-111	3:08:				291	291											
70	26-213	36-111	3:08:				291	291											
71	26-213	36-111	3:08:				291	291											
72	26-213	36-111	3:08:				291	291											
73	26-213	36-111	3:08:				291	291											
74	26-213	36-111	3:08:				291	291											
75	26-213	36-111	3:08:				291	291											
76	26-213	36-111	3:08:				291	291											
77	26-213	36-111	3:08:				291	291											
78	26-213	36-111	3:08:				291	291											
79	26-213	36-111	3:08:				291	291											
80	26-213	36-111	3:08:				291	291											
81	26-213	36-111	3:08:				291	291											
82	26-213	36-111	3:08:				291	291											

NAVIGATOR'S FLIGHT RECORD

A/C C/N#	RAFT 2ECC	NAV 5756 DOPE#NT	SNR	AIRCRAFT BUNO	TRACK	FROM	TO	DATE	% OF	
TIME	NWS E/W	# 4	VLF	# 2	TC	DA	TH	LEAT	LEAT	DATE
1208	0	26-34.3	26-215	36-21.6	149 662	CS-1-83 # 4				
1495	4	4118	4	42.7	41436	271	6R	169	241	202 14
09	26-34.1	26-24.4	26-24.5	50.1				34		
41	4-48.5	4-42.9	4-44.1					232		202 # 4415
10	26-36.1	26-26.7	26-26.6					234		
20	4-49.0	4-42.1	4-44.5							202 # 4516
15	26-29.6	26-29.9	36-26.6							AMH C-1
40	4-58.3	4-51.8	4-52.3							NOT PIER 0452.3
17	26-26.5	26-25.9	26-25.5	162	7L	169	240	241	500d	
20	4-47.5	4-46.5	4-46.8					230		1-OSIT
14	36-17.6	36-17.6	36-17.6					231		
50	4-45.2	4-43.5	4-43.8	164	7L	171	249	031	245	POSIT
11-18	Assisted	446 HAL								
21	36-08.8	36-09.1	36-08.9					271		
40	4-43.1	4-40.6	4-40.8	164	7L	171	245	031	244	12052T
23	36-01.3	36-01.5	36-01.3					268		
40	4-41.3	4-38.1	4-38.2	165	7L	172	240	032	240	POSIT
25	35-53.3	35-53.7	35-53.5					267		
42	4-39.4	4-35.4	4-35.5	164	8L	173	240	030	238	POSIT
27	35-46.8	35-42.0	35-42.0					274		
24	4-37.1	4-33.1	4-33.3					238	231	POSIT
28	35-41.0	35-41.5	35-41.3					271		A/4
55	4-36.5	4-31.3	4-31.4					242	032	POSIT
35	35-39.9	35-42.0	35-43.0					262		POSIT
54	4-40.1	4-32.7	4-32.9	345	5R	340	230	032	337	

NAVIGATOR'S FLIGHT RECORD

A/C CMDR L/CDR MANTZEL	NAV LIT JF ENDS 1042Z TUE	SNR M2 F/EILLEURGE	AIRCRAFT BUNO 149663						TRACK 05 - 183 #4			FROM LEKET			TO LEKET			8 OF	
			TIME INS END	#	1	ULI	H	DA	TC	TH	GS	WIND DIR/VEL	TAS	ALT	DIST REM	DIST TOT	ETA ETE	ETA ATA	
1238	U 35.48.4	75.51.7	15.51.7									244	018	2385	5000				POSI
1320	W 4.43.9	4.36.0	4.36.2	344	5R	329	232					259	018	240					POSI
1400	135.55.4	35.55.5	35.55.6																POSI
1410	4.46.2																		POSI
1420	36.01.0	36.05.1	36.05.2																POSI
1430	4.49.0	4.49.0	4.49.0	✓	✓	✓	✓	✓	✓	✓	✓	234	019	241	✓				POSI
1440	36.18.4	36.13.0	26.13.2																POSI
1450	4.51.9	4.45.4	4.43.7	✓	✓	✓	✓	✓	✓	✓	✓	234	016	242	✓				A/14
1454	36.19.3	36.24.5	36.24.8																POSI
1500	4.56.0	4.47.4	4.47.7	✓	✓	✓	✓	✓	✓	✓	✓	236	015	241	✓				POSI
1504	36.18.5	36.23.9	36.24.4																POSI
1510	4.51.3	4.43.6	4.43.4	✓	✓	✓	✓	✓	✓	✓	✓	236	015	241	✓				POSI
1514	36.19.6	36.17.2	36.17.5																POSI
1520	4.50.0	4.42.2	4.42.4	166	2L	173	245	✓	✓	✓	✓	236	031	236	✓				POSI
1524	36.05.1	36.10.2	36.11.6																POSI
1520	4.47.5	4.35.8	4.40.2	165	7L	172	238	✓	✓	✓	✓	231	031	231	✓				POSI
1526	35.56.9	26.02.6	36.02.7																POSI
1529	4.44.2	4.32.0	4.37.4	164	7L	181	238	✓	✓	✓	✓	271	030	232	✓				POSI
1534	35.49.6	35.55.2	35.55.3																POSI
1536	4.41.1	4.34.4	4.34.8	✓	✓	✓	✓	✓	✓	✓	✓	237	032	235	✓				POSI
1530	35.43.1	35.48.3	35.48.5																POSI
1532	4.38.3	4.32.1	4.32.6	165	8L	173	234	✓	✓	✓	✓	230	032	230	✓				POSI
1536	35.36.8	35.42.3	35.42.4																A/H
1535	4.20.0	4.30.4	4.30.4	✓	✓	✓	✓	✓	✓	✓	✓	237	032	232	✓				POSI
1538	35.25.8	35.43.5	35.43.2	✓	✓	✓	✓	✓	✓	✓	✓	261	020	240	5000	4660	5200		POSI
1540	4.20.8	4.29.9	4.30.7	344	5R	139	233	✓	✓	✓	✓	261	020	240	5000	4660	5200		POSI

NAVIGATOR'S FLIGHT RECORD

A/C CHDR LNR	HAIRTELL	NAV LTGS DOPANT	SNR	AIRCRAFT BU NO	TRACK	FROM LEAD	TO LEAD	DATE 13 OCT 82	1 OF		
TIME END	N/M #1	VL/F	#2	TC DA	TH	WIND DIR/VEL	TAS	ALT	DIST REM +TOT	ETA ATA	REMARKS
1110	35.43.5	35.51.7	35.51.5	344	50	359	229	260	021 236 5000		
1116	4.32.8	4.32.6	4.33.5	344	50	359	229	260	019 230 ✓	POSSIT	
1118	35.49.5	35.58.3	35.57.9	344	50	359	229	260	019 230 ✓	POSSIT	
06	4.34.4	4.34.8	4.35.1	344	50	359	229	260	019 230 ✓	POSSIT	
20	35.58.7	36.05.8	36.05.6	344	50	359	229	260	019 230 ✓	POSSIT	
13	4.36.4	4.37.0	4.38.0	344	50	359	229	260	019 230 ✓	POSSIT	
32	36.03.1	36.12.6	36.12.4	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
11	4.38.3	4.39.8	4.40.0	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
24	36.09.9	36.09.8	36.09.8	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
16	4.41.4	4.42.3	4.43.2	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
25	36.16.5	36.21.6	36.26.0	155	50	160	249	018	236 ✓	A/H	
00	4.42.5	4.44.1	4.45.6	155	50	160	249	018	236 ✓	A/H	
1132				✓	✓	✓	✓	260	020 233 ✓	(TIEHAT) (TIEHAT)	
13	36.16.5	36.16.3	36.16.3	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
04	4.42.7	4.43.4	4.43.4	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
35	36.08.2	36.08.6	36.08.6	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
09	4.39.9	4.40.7	4.40.7	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
36	36.01.3	36.01.3	36.01.3	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
39	4.37.6	4.38.2	4.38.2	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
38	35.53.5	35.53.7	35.53.7	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
31	4.35.1	4.35.6	4.35.6	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
41	35.42.1	35.42.1	35.42.1	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
17	4.31.1	4.31.7	4.31.7	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
42	35.42.0	35.42.2	35.42.2	✓	✓	✓	✓	260	020 233 ✓	POSSIT	
	4.31.9	34.31.9	34.31.9	✓	✓	✓	✓	260	020 233 ✓	POSSIT	

OCEANDEVON EIGHT 3760/1 (REV 811)

NAVIGATOR'S FLIGHT RECORD

TIME	M/S E/W	A/C CMDR L/C DR MASTERS	NAV CTTG DOPPLER E205 WAF 7C	SNR PAW FER/INU 6	AIRCRAFT BUNO			TRACK			FROM LEAT		TO LEAT		DATE OF FLIGHT		
					#	1	VLF	TC	DA	TH	GS	DIR/VEL	TAS	ALT	DIST +TOT	ETE	ETA ATA
1351	N		36 49.1	35 49.4	345	7K	238	132	264	245	3000'						1052T
1350	W		4.328	4.342													1051T
1352			355561	355563	V	BR	337	234	262	244	34						
1353			4.361	4.365													POST
1354			36 02.2	36 02.4	344	V	336	235	270	249	V						1051T
1355			4.383	4.386													
1356			36 07.7	36 08.1	V	7K	337	237	271	247	V						
1357			4.40.1	4.40.5													
1358			36 13.3	36 13.7	V	8K	336	230	278	256	V						1051T
1359			4.42.0	4.42.4													
1360			36 18.8	36 19.1	V	4K	340	228	282	242	V						1051T
1361			4.43.9	4.44.3													
1362			36 25.1	36 26.0	V	/	/	/	280	V	V						POST P A-1
1363			4.46.2	4.46.7													WT P1P? U 36 30.2/45.2
1364			36 30.1	36 31.3													4XPM #1
1365			4.52.9	4.51.9													
1366			36 27.5	36 27.1	152	8L	160	232	271	224	V						PW #2
1367			4.46.4	4.47.5													
1368			36 31.7	36 31.5	164	9L	173	246	272	238	V						PW #3
1369			4.44.7	4.45.1													PW #4
1370			36 15.7	36 15.5	V	8L	172	255	272	243	V						
1371			4.42.7	4.43.0													
1372			36 10.1	36 09.8	V	9L	173	252	282	241	V						PW #5
1373			4.40.7	4.41.1													
1374			36 04.1	36 04.0	V	V	V	V	257	245	V						OCEANDEVON EIGHT 3700/1 REV 811
1375			4 28.5	4 29.1													

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV CTRB DEPON/RT	SNR	AIRCRAFT BUNO	TRACK CS 1-8044	FROM LANT	TO LANT	DATE 130116Z	UT OF		
TIME H/M	W/L F	# 2	TC DA	TH GS	WIND DIR/VEL	TAS	ALT	DIST REM +TOT	ETA ATA	REMARKS
141841Z		35 587	35 584	164	81	172	269	281	247	PNU #6
1521		4 26.7	4 37.2				40			
161		35 52.9	35 54.6	V	V	257	280			PNU #7
171		4 34.7	4 36.2				38	241	V	
1756		35 46.1	35 45.5	V	V	254	278	245	V	PNU #8
191		4 32.4	4 33.9				37			
191		35 40.6	35 40.3	V	V	249	278	37		PNU #9
191		4 30.4	4 31.0				38	241	✓	A/H
2021		35 34.6	34.6	5R	343	229	276	240	150	POSIT
2121		—	4 29.4	348	343	229	22	240		
2420		35 39.3	35 39.0	345	6R	329	228	273	243	✓
2615		4 29.9	4 30.7				37			POSIT
2615		35 45.8	35 45.4	V	7R	338	229	265	246	V
1515		4 31.5	4 32.8				27			ACHT
2800		35 58.4	35 58.0	V	V	229	22	267	244	✓
2800		4 34.0	4 35.0				30			POSIT
3000		35 59.8	35 59.4	V	6R	339	229	276	244	✓
3000		4 26.5	4 37.5				37	247		POSIT
3200		26.07.1	36.06.7	344	V	338	226	374	239	✓
3320		4 29.0	4 40.0				37			POSIT
3320		26 13.5	26 12.1	V	7R	327	225	260	235	✓
3520		4 -40.8	4 -41.9				27			ACHT
3520		26 18.5	26 18.2				363			MARK PNSH SHIP
3520		4 -43.9	4 -44.0	V	8R	332	232	242	V	
3730		26 27.7	26 27.0	V	7R	332	V	255	240	V
3730		4 -45.7	4 -47.0				36			A/H

OCEANDEVON EIGHT 3760/1 (REV 81)

WOT #168 1410 (LUS CDT)

NAVIGATOR'S FLIGHT RECORD

A/C CMDR TIME	NAVFLG DEPART IN	SNR #2	WIRE HARVEY			AIRCRAFT BUNO 14964-7			TRACK Q-1-02-NY			FROM LEKT			TO LERT			DATE 130502Z of
			TC	DA	TH	GS	DIR/VEL	TAS	WIND	ALT	DIST	DIST	REM	ETA	ATA	REMARKS		
1441R	26-220	26-213	159	91	168	241	263	40	240	1,080						BT #168		
1441R	26-226	26-213	159	91	168	241	263	40	240	1,080						BT #169		
1441R	26-113	26-152	163	V	172	244	268	40	240	1,080						BT #170		
1441R	26-113	26-152	163	V	172	244	268	40	240	1,080						BT #171		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #172		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #173		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #174		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #175		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #176		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #177		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #178		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #179		
1441R	26-104	26-150	164	V	82	173	251	33	242	1,080						BT #180		

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV FFL	Doppler	SNR	AIRCRAFT BUNO			TRACK			FROM			TO			DATE					
				TIME	M/S	EMI	WT	#T	TC	DA	TH	GS	WIND	DIREC	TAS	ALT	DIST	+TOT	RECD	ETA	ATA
KOL N				26-06-1	4-29-5	34-1	812	326	2-1	240	23	241	800								PST#181
4514				26-11-0	4-39-8	34-1	812	326	2-1	240	23	239	800								PST#182
08				26-11-9	4-41-8	34-1	812	326	2-1	240	23	239	800								PST#183
18				26-11-5	4-41-5	34-1	812	326	12-7	240	23	239	800								PST#184
09				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#185
51				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#186
11				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#187
14				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#188
50				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#189
16				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#190
26				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#191
00				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#192
19				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#193
45				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#194
23				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#195
20				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#196
25				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#197
10				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#198
26				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#199
45				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#200
37				26-11-2	4-42-5	34-1	812	326	12-7	240	23	239	800								PST#201


NAVIGATOR'S FLIGHT RECORD

A/C C/MNR	NAV L/T/C Loppiu	SNR	AIRCRAFT BUNO	TRACK 05-1-82 #41	FROM LEFT	TO LEFT	DATE 12/17/82	TIME of						
TIME	N/S E/W	VLF	LTV	TC	DA	TH	WIND DIR/VEL	TRACK 05-1-82 #41	FROM LEFT	TO LEFT	DIST REM	DIST +TOT	ETA ATA	REMARKS
1538 N		35-483	25-182	315		190								SRC#7
1600 W		4-274	4-269	315										MOT
1638 S		35-510	25-513	010		216								Set#3
1754		4-277	4-273	010										Set#4
1839 S		35-537	35-541	4										Set#5
1951		4-261	4-261	4										Set#6
2040		35-562	35-554	1										Set#7
2142		4-245	4-225	5										Set#8
2141		36-007	36-012	010		235								Set#9
2142		4-252	4-229	010										Set#10
2142		36-027	36-010	010		235								Set#11
2143		4-241	4-239	1										Set#12
2144		26-072	26-073	311		202								Set#13
2145		4-288	4-287	311		202								Set#14
2146		26-038	26-039	1										OCEANDEVON EIGHT 3780/1 (REV 81)
2147		4-321	4-318	1										
2148		4-321	4-318	1										
2149		4-315	4-309	025										
2149		36-125	36-129	025		249								
2150		4-315	4-309	025										
2150		36-145	36-152	2										
2151		4-264	4-281	2										
2151		36-173	36-180	023		249								
2152		4-265	4-256	2										
2153		36-203	36-207	2										
2154		4-310	4-305	2										
2155		26-231	26-234	2		197								
2156		4-402	4-398	292		197								

NAVIGATOR'S FLIGHT RECORD

A/C CHAN	CHNGT	NAV E85/6 DEF	SIR	AIRCRAFT BUNO	TRACK	FROM	TO	DATE	SO OF		
TIME	M/S	V/F	#A	TC	DA	TH	GS	WIND	DIST	ETA	REMARKS
1556	15	26.254	26.268	350	227	240	224	50°			SP#15
1543	14	4.40.9	4.46.6	350	349	321	35				
1541	14	36.34.7	26.230	301	363	326	35				SP#16
45	14	4.42.8	4.43.6	301	313	326	35				A/H D/A C/J
1606	16	25.59.6	36.00.1	5.03.9	5.02.9	264	245	4000			A/H
		35.55.4	35.59.8	276	283	274	276				
		5.42.8	5.41.8	3772	26	272	204	071			
1615	16	25.55.9	35.56.4	5.41.5	259	261	224	625	257	✓	A/H
		5.43.9	5.41.5	259	274	274	276				PSET
1618	16	25.55.7	35.56.1	5.43.9	355	271	272	255	✓		A/H
		5.43.0	5.42.3	355	271	272	274				
1624	16	6.05.7	6.04.5	270	16	271	229	625	258	✓	PSET
		5.55.4	5.56.0	270	6	276	229	025	258	✓	
1628	16	6.44.6	6.42.9	270	6	276	229	265			A/H
		36.18.9	26.19.7	270	6	276	229	029	258	✓	NAVL
1634	16	6.51.2	6.50.8	327	62	321	238	029	258	✓	LAND LENT
1652											EAS SOR
1700											

Leave Shetland, Enr close



15 OCTOBER 1982

NAVIGATOR'S FLIGHT RECORD

OCEANDEVRON EIGHT 3760/1 (REV 81)

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO						TRACK OS-1-B2-HS			FROM LAST			TO LAST			2 OF
			TIME	MS EMN	FL	VEL	TC	DA	TH	GS	WIND DRIVEN	ALT	DIST +TOT	DIST REM	ETA	ETA ATA	REMARKS	
0912 N			35-10.6	3610.7	073	0	002	276	190	223	1000						(BT#186	
104 W			3508.7	3509.6														
14			36-19.2	26-19.4	055	1L	056	226	200	223	03						BT#187	
24			35-07.1	3507.8													A/H	
16			36-24.2	26-24.5													BT#188	
51			41-57.7	41-57.5														
16			36-20.3	36-20.0	194	1L	195	V	337	2412	V						BT#189	
21			41-51.4	41-51.7														
10			36-10.1	36-09.9	185	0	1820	253	346	2416	V						BT#190	
52			41-55.3	41-55.0														
23			36-00.1	36-00.1	169	2L	182	256	326	349	V						BT#191	
13			41-55.1	41-57.0														
25			35-49.4	35-49.2	V	2L	183	254	327	345	V						BT#192	
46			41-55.4	41-58.0														
27			36-41.5	3541.1	139	2L	131	251	299	231	V						BT#193	
41			41-55.0	41-56.9													A/H	
31			35-32.8	35-32.0													BT#194	
08			41-41.6	41-44.1														
34			35-32.0	35-32.7	356	4L	352	193	267	262	V						BT#195	
46			41-41.1	41-42.7													H.C.	
36			3540.3	3540.2	359	3L	352	203	287	283	V						BT#196	
08			41-41.1	41-44.0														
37			35-45.1	35-44.9	360	4L	356	303	286	285	V						BT#197	
24			41-41.2	41-44.6														
35			35-50.1	35-49.9	V	2L	258	200	302	204	V						BT#198	
54			41-41.2	41-44.0													BT#199	

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO	TRACK				FROM	TO	DATE	ISOTIME	ISOTIME	ISOTIME	ISOTIME			
				TIME	N/S	E/W	VLF	#	TC	DA	TH	GS	WIND DIR/VEL	ALT	DIST +TOT	DIST REM	ETA ATA
0740	1	#1	26 551	26 519	519	519	260	1K	269	269	01	723	261	1000	1000	1000	1346
21			4.41.2	4.44.0													PJT#197
41			26.00.0	26.00.0													ACI WTHIN
54			4.41.2	4.44.0													26#7
42			26.01.5	26.01.5													SP#8
22			4.41.2	4.44.0													26#9
43			36.04.9	36.04.9													26#9
21			4.41.1	4.44.0													
44			260.074	26.075	360	1L	001	V									PJT#198
05			4.41.2	4.44.0													SP#11
44			26 10.0	26 10.1													26#11
51			4.41.2	4.44.0													
45			26.124	26.124													26#12
32			4.41.3	4.44.0													
46			26 15.1	26 15.1	360	1L	001	199	029	04	205	V					26#13
20			4.41.3	4.44.0													
47			26 19.9	26 19.9													PJT#199
48			4.41.2	4.44.0													SP#14
49			26.24.7	26.24.9													PJT#200
19			4.41.3	4.44.0													26#15 C
51			26.29.9	26.29.9													MOT UNKNOWN OK
57			36.26.6	36.26.2	176	1L	177	349	305	06	241	V				36.20.2 / 4.53A	
60			4.44.3	4.44.3	361.70	26.17.0	180	V	181	252	08	252	V			4.51	
59			4.41.2	4.44.0												POET	
62																	

NAVIGATOR'S FLIGHT RECORD

A/C C/N/DR	SNR	NAV	AIRCRAFT BUNO										TRACK			FROM LERT	TO LERT	DATE ISATZ	# OF	
			TIME	N/S E/W	#	1	VLF	42	TC	DA	TH	GS	DIR/VEL	WIND	ALT	DIST +TOT	DIST REM	ETA ATA	ETA ETE	REMARKS
1001 N			26086	36085	180	21	182	253	275	214	503	09							POET	
00 12			4-441	4.44.0																POET
1003			26004	36.002	180	21	182	247	208	250	13								POET	
00			4-442	4.44.0																POET
05			26521	35.51.9																POET
00			4-444	4.44.0																POET
07			36441	36.43.8																POET
00			4-444	4.44.0																POET
09			36261	35.35.8																POET
00			4-444.5	4.44.0																POET
07			35333	35.33.0	098	21	101	229	251	250	19									POET
41			4-444.5	4.44.0																POET
12			3530.7	35.30.4	040															POET
35			4-22.8	4.21.1																AH
15			3640.4	35.40.0	360	32	357	225	275	228	12								POET	
18			4-314	4.31.0																POET
18			36.50.2	35.50.0																POET
00			4-31.2	4.31.0																POET
20			36.00.0	36.00.0																POET
32			4-33.0	4.31.0																POET
33			36.10.0	36.10.0																POET
00			4-31.9	4.31.0																POET
25			3630.1	36.30.0																POET
36			4-32.0	4.31.0																POET
27			3630.1	36.30.1	003	21	005	244	113	006	244									POET
39			4-21.4	4.30.1																POET

OCEANDEVON EIGHT 37801 (REV 81)

NAVIGATOR'S FLIGHT RECORD

A/C GRADE LC DIV 14 AD 12 EEL SNR	NAV CTTG DATA AT ENDS OF FLIGHT	IND REBLINE	AIRCRAFT BNUO			TRACK			FROM LERT			TO LERT			DATE SAVED		S OF REMARKS
			TIME INS	TIME EAM	WLF	#2	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ETE	ETA ATA
1031	2	36.39.4	4.16.9	180							285						DT# 208
58	W	36.39.2	4.18.7	180							001	244	1000				A/H
34		36.30.1	36.30.0								311						
35		4.18.1	4.17.8	182	2C	184	245	006	246	/							DT# 209
37		36.17.8	36.17.5								007						
40		4.18.0	4.18.0	180	O	180	247	005	26	/						DT# 210	
39		36.10.2	36.10.0								314						
30		4.18.0	4.18.0	/	1L	181	/	007	/	/						DT# 211	
41		36.00.3	36.00.0								323						
53		4.17.8	4.18.0	/	/	/	248	008	/	/						DT# 212	
44		35.50.3	35.50.0								315						
19		4.17.7	4.18.0	/	2L	182	/	009	/	/						DT# 213	
46		35.40.3	35.40.0	/							293						
43		4.17.8	4.18.0	/	3L	183	250	016	/	/						DT# 214	
49		35.30.2	35.30.0	/							289						DT# 215
67		4.17.8	4.18.0	/	2L	182	247	009	/	/						A/H	
50		35.26.3	35.25.9								247						DT# 216
10		4.16.7	4.17.0								251						
53		35.30.4	35.30.8								286						
02		4.16.6	4.05.0	356							242						DT# 217
55		35.40.1	35.40.0								277						
45		4.04.3	4.05.0	/	1L	359	/	003	244	/						DT# 218	
1100		35.54.9	36.00.0	/	/	/	243	004	244	/						DT# 219	
12		4.04.4	4.05.0													DT# 220	

NAVIGATOR'S FLIGHT RECORD

A/C C/N# LIC# M/H/TZELL	NAV C/N# E.A. WHITE	OCT/MAT SNR 144 KERLIN#	AIRCRAFT BUNO 144 CCC 7			TRACK 051-8345			FROM LEAD			TO LEAD			DATE IS/ARES	REMARKS
			TIME EST	TIME EST	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ATA		
11.02	41	VIF #12	36.094	36.10.0												DT # 221
43.04	4.04.5	4.05.0	360	4	36d	344	001	244	1000'							
05	36.10.9	36.20.6	/													DT # 222
08	4.04.6	4.05.0	/	12	359	241	004	245	/							DT # 223
07	36.25.9	36.30.0	/													A/H
37	4.04.7	4.05.0	/	20	358	240	003	248	/							DT # 224
10	36.25.0	36.40.0														A/H
06	4.04.9	4.04.9	360													DT # 225
14	36.35.2	36.30.4														A/H
05	3.52.6	3.52.0	180													DT # 226
16	36.29.9	36.30.0														DT # 227
25	3.52.2	3.51.9	181	11	182	245	006	241	/							DT # 228
17	36.19.9	36.20.0														DT # 229
59	3.52.1	3.52.0	180	11	181	253	013	244	/							DT # 230
21	36.09.3	36.08.0	/	12	181	251	012	243								DT # 231
30	3.52.3	3.52.0														DT # 232
27	36.10.2	36.00.6														A/H
38	3.52.4	3.52.0	/	21	182	252	010	246	/							DT # 233
26	35.50.2	35.50.0														DT # 234
03	3.52.4	3.52.0	/	22	182	244	010	244	/							DT # 235
78	35.40.3	35.40.0														DT # 236
30	3.52.3	3.52.0	/													A/H
76	35.32.1	35.32.0														DT # 237
30	3.51.1	3.51.1	/													A/H
23	35.32.2	35.32.2														DT # 238
11	3.40.1	3.38.3	0901													

NAVIGATOR'S FLIGHT RECORD

TIME	IN	OUT	TYPE	DISTANCE	SNR	AIRCRAFT BUNO			TRACK #S			FROM			TO			REMARKS	
						TC	DA	TH	GS	WIND	DIR/VEL	TAS	ALT	DIST	DIST	EET	ETA	DATE	
1134	N		VLF	42	35.40.3	35.40.0				271									
1501	M		VLF	42	35.38.9	35.59	212	357	241	009	242	1000						BT # 2341	
27					35.50.3	35.50.0				200									
26					35.39.4	35.39.0	360	18	359	241	005	244						DT # 235	
36					36.00.2	36.00.0				01									
43					359.0.C	359.0.C	/	20	358	239	008	245	/					BT # 236	
42					36.10.2	36.10.0				00									
49					359.5	359.0	/	4	360	236	007	/	/					BT # 237	
41					36.20.1	36.20.0	/			064									
52					359.5	359.0	/	16	358	238	006	241	/					BT # 238	
47					36.30.0	36.30.0	/	260	360	241	102	12	240					BT # 239	
49					36.40.1	36.40.0	61	21	363	241	120	11	/					BT # 240	
53					36.41.1	36.39.8	173	16	124	233	119	12	241	/				BT # 241	
52					36.40.5	3.38.7				10									
53					36.40.5	3.38.7				12									
52					36.20.7	36.20.0	181	212	179	241	106	244	/					BT # 242	
50					36.20.5	3.25.9	181	212	179	241	106	244	/					BT # 243	
1201					36.11.6	36.09.4	/	31	183	249	006	241	/					BT # 244	
02					36.03.7	36.03.0	/	32	183	254	31	12	241	/				BT # 245	
15					3.25.4	326.0	/											BT # 246	
1605					3.26.0	3.26.0	/												

OCEANDEVRON FLIGHT 3700/1 REV 811

NAVIGATOR'S FLIGHT RECORD

A/C CMDR (C)D/C MANTICORE	TIME IN HRS MINS	NAV LT JS W/PAT EIC 2017C	SNR W/2 F/C	AIRCRAFT BU NO				TRACK 05-1-83 #5				FROM CENT		TO CENT		DATE (SODT)		REMARKS
				V/F	#2	TC	DA	TH	GS	DIR/VEL	WIND	TAS	ALT	DIST +TOT	DIST REM	ETE	ETA ATA	
1208 10		35-404	25-400	180	32	183	248	282	12	246	1000						BT#247	
1208 10		3-255	2-26.0														BT#248	
10 1		35-303	35-20.0														A/H	
27		3-250	3-25.1														BT#249	
14		35-395	35-40.0														BT#250	
18		3-144	3-13.6	046	32	044	252	261	10	244	✓						A/H	
16		35-499	35-56.0	360	412	356	244	268	14	244	✓						BT#251	
44		3-124	3-12.0														BT#252	
19		35-59.8	36-00.0														BT#253	
12		3-165	3-13.0														BT#254	
31		35-57	36-10.0														BT#255	
45		3-136	3-12.0														BT#256	
31		35-196	36-20.0														BT#257	
05		3-128	3-12.0														BT#258	
26		35-295	36-30.0	360		360	349	117	12	244	✓						BT#259	
31		3-128	3-12.0														BT#260	
08		35-396	36-40.1														BT#261	
56		3-128	3-12.8														BT#262	
32		35-401	36-39.9	123	12	126	234	09	140	213	✓						BT#263	
16		3-203	3-20.5														A/H	
24		35-204	36-20.5	181	212	179	211	116	61	245	✓						BT#264	
42		2-59.7	2-59.7														BT#265	
37		35-200	36-20.0	180		178	243	082	7	244	✓						BT#266	
20		3-00.0	3-00.0														BT#267	
39		35-101	35-10.1														BT#268	
46		3-00.1	3-00.0														BT#269	

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO										TRACK 051-683 #5	FROM	TO	DATE 150218Z	# OF
			TIME	INS E/W	VHF	#42	TC	DA	TN	GS	WIND DIR/VEL	ALT	DIST +TOT	DIST REM	ETA	ETA ATA	REMARKS
1242 0			35.000	35.59.9		180	3L	1 ^{45.2}	242	270	13	241	1008				RT# 360
17 1W			35.00.4	35.00.0													
43 1			35.56.3	35.56.1													MOT HUBBARD
17			35.56.5	35.56.0													35.56.5 / 2.02.1
44			35.50.0	35.50.0	173	4L	177	244	221	17	242	1008					#261
49			35.00.7	35.00.5													
46			35.41.2	35.41.8	-	-	-	-	-	-	-	-					RT# 262
58			35.03.1	35.03.1													A/H
48			35.40.8	35.41.2	353	1L	302	278	286	11	240	V					A/H D
53			310.1	308.7													A/H 211
52			3548.8	3548.4	297	0	297	289	303	10	240	V					RT# 211
34			325.8	325.1													
57			3552.5	3556.2	✓	1L	298	232	322	7	240	V					RT# IT
60			3544.6	3544.0													
1300			3601.7	36-014	V	1L	V	325	342	339	V						RT# IT
100			3557.5	3556.8													
04			36-10.1	36-09.7	V	0	397	328	315	02	241	V					RT# 363
42			4118.2	4117.3	V												A/H
07			3600.2	36-00.1	162	1L	163	239	283	6	237	V					RT# 364
51			418.6	418.3													A/H
11			3549.6	3550.0	284	1L	265	V	285	5	241	V					RT# 265
31			4-31.5	4-20.1													A/H
20			3528.3	3528.8													MOT SWOBORYS
03			445.6	444.0													#2
62			3544.9	3545.5	256												
64			4143.0	4142.2													#2


OCEANDEVRON EIGHT 27001 (REV 01)


#41


NAVIGATION FLIGHT RECORD


A/C C/N/DR	NAV	SIN	MISSION						TRACK			FROM		TO		DATE 1521Z	OF	
			TIME	INST	VLF	42	RC	AA	TW	AS	WIND	DIAVEL	TAS	ALT	DIST +TOT	DIST REM	ETA ETE	ETA ATA
1353.1		35-49.9	35-50.1	246	1.44.7	10.44.7	10.44.7	10.45	217	279	223	688	217	5			#4	
27.1		35-52.4	35-54.0	035	424	4.424	4.424	4.429	035	227	250	225	✓				#5	
31.1		35-52.1	35-58.3	016	413	4.413	4.413	4.413	016	235	235	235	✓				#6	
36.		35-52.1	35-58.3	016	405.1	26.044	26.044	26.051	016	229	233	233	✓				#7	
25.		4.415	4.415	016	3888	4.3888	4.3888	4.3887	016	229	229	229	✓					
49.		26.06.6	26.07.1										✓				#8	
16.		4.37.7	4.37.5										✓					
29.		36.09.2	36.09.8	027	435.8	4.35.8	4.35.8	4.35.2	027	230	213	222	✓				#9	
67.		26.10.8	36.11.5										✓					
32.		4.35.1	4.34.6										✓				#10	
60.		26.12.7	26.13.1										✓					
37.		4.34.6	4.35.1										✓				#11	
28.		36.13.6	36.14.2										✓				#12	
41.		4.36.9	4.36.6										✓				#13	
55.		36.15.7	36.16.2	275									✓				#14	
43.		4.42.8	4.42.5										✓				#15	
26.		26.21.7	26.21.8										✓				#16	
45.		4.43.7	4.44.5										✓					
12.		26.25.5	36.26.1	021									✓				#17	
46.		4.42.9	4.43.2										✓				A/H	
26.		36.19.6	36.20.0										✓				#18	
15.		5.07.3	5.08.4										✓				A/H	


NAVIGATOR'S FLIGHT RECORD




















18 OCTOBER 1982

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV TIME	ENCL	SNR	TELE	AIRCRAFT BLNO	TRACK	# 6	FROM LEFT	TO LEFT	DATE	L OF		
											N/S	E/W	REMARKS
TIME	N/S	E/W	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST + TOT	DIST REM	ETA	ATA	
0821													ACCEPT I LOS
0822													ENCL
0835													MSSD 40 SPOT IN TUR
0841													T/A X T
0841													LE RT
0941	26-26.4	26-27.4	26-27.2	158									NAVL AGS DUE 27
1046	4-46.6	4-46.0	4-47.1										PULL OUT STATION
1926	36-22.4	36-26.8	36-21.5	143	62	149	268	246	5800'				STRUCTURE
2026	4-21.8	4-29.8	4-40.5										STRUCTURE
06	36-11.2	36-08.4	36-08.4	162	82	175	232	206	232	237			CUT THICK
10	4-12.1.0	4-23.3	4-10.6										STRUCTURE
28	26-02.0	36-00.5	36-00.6	164	72	171	250	283	246	230			POSL
15	4-12.1.2	4-26.5	4-13.8										STRUCTURE
30	35-54.0	35-51.2	35-51.5	165	64	177	246	286	281	237			POSL
36	4-21.0	4-23.4	4-35.1										STRUCTURE
32	35-45.9	35-42.0	35-42.4	1	82	173	243	370	33	229			POSL
30	4-28.2	4-26.6	4-22.5										POSL
14	35-36.3	35-36.4	35-36.8	165	72	177	237	259	259	259			POSL
15	4-26.0	4-28.2	4-20.3										POSL
25	35-24.2	35-31.3	35-21.7	1									POSL
35	4-24.2	4-26.1	4-28.6										POSL
37	35-35.4	35-21.8	35-22.7	027	312	034	240	245	225	223	1		POSL
15	4-17.9	4-20.9	4-22.3										

FD-A133 995

AN ANALYSIS OF AIRCRAFT DATA COLLECTED IN THE ALBORAN
SEA DURING DONDE VR. (U) NAVAL OCEAN RESEARCH AND
DEVELOPMENT ACTIVITY NSTL STATION MS.

2/2


UNCLASSIFIED

P E LA VIOLETTE ET AL. JUL 83 NORDA-TN-222 F/G 8/10

NL

END

FILMED



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

NAVIGATOR'S FLIGHT RECORD

L/CMDR	TIME	IN	OUT	S/N	NAV - TITG CDTNAT			AIRCRAFT BUNO			TRACK			02-1-83 FGS		LGR T		CPT		TO DATE			
					EGS	CDT	TC	EE	CL	TA	DA	GS	WIND	DIR/VEL	TAS	ALT	DIST	+TOT	REM	ETE	ETA	ATA	REMARKS
0929	25-41.2	35-37.6	25-38.8	052	312	030	262	262	262	229	3200											OF	
10	4-09.4	4-12.6	4-12.7																				POSIT
41	35-45.2	35-41.4	35-42.7																				VISIT
00	4-03.2	4-06.2	4-07.4																				LOCIT
43	25-58.1	35-48.4	35-49.6																				VISIT
45	25-54.0	35-54.6	35-56.1																				LOCIT
15	2-46.2	3-48.7	3-50.2	054																			LOCIT
47	25-59.8	35-56.1	35-57.3	053	612	047	246	246	246	211	✓											PEST	
00	3-39.5	3-41.8	3-43.4																				PEST
49	26-04.6	26-08.8	26-08.1																				PEST
00	2-21.4	3-22.9	3-35.5																				PEST
51	36-09.5	36-05.6	36-09.0																				PEST
00	3-26.8	3-36.0	3-37.4																				PEST
53	26-14.3	26-10.2	26-11.7																				PEST
00	2-16.0	3-17.6	3-19.5																				PEST
55	26-19.9	26-15.3	26-17.2	054	312	051	245	245	245	216	✓											PEST	
15	2-07.1	3-09.0	3-10.3																				PEST
00	26-21.2	26-17.0	26-18.2	037	412	041	241	241	241	216	✓											PEST	
39	2-05.0	3-06.0	3-08.0																				PEST
01	26-15.9	26-14.3	26-15.1	034	512	039	239	239	239	217	✓											PEST	
49	2-07.5	3-11.0	3-12.5																				PEST
02	26-16.7	26-11.9	26-12.6																				PEST
51	26-45	26-09.6	26-11.3	034	512	039	239	239	239	217	✓											PEST	
55	2-17.3	3-19.1	3-20.2																				PEST

NAVIGATOR'S FLIGHT RECORD

OCEANDEVRON EIGHT 3760/1 (REV 81)

NAVIGATOR'S FLIGHT RECORD

A/C/NMDR L/Cdr, 1st Lt, E.C.	NAV LT FG DOMESTIC NS #1	ECS: 42H12M	TIME EMN	AIRCRAFT BUNO			TRACK			FROM			TO			DATE 18 OCT 82		F or REMARKS
				44-91166	44-91166	TC DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETE	ETA ATA	ETA ATA		
1019 N 35° 42' 3"	25 26.0	25 26.0	11	11	11	TC	DA	240	210	262	232	232	100	100	100	100	204110	
1141 12.0	4 16.0	4 15.8	12	12	12	TC	DA	233	212	262	232	232	100	100	100	100	204110	
1111 36.46.0	35 33.7	35 35.3	13	13	13	TC	DA	240	210	262	232	232	100	100	100	100	204110	
0101 4 16.8	4 19.6	4 19.5	14	14	14	TC	DA	278	248	296	273	273	100	100	100	100	204110	
1221 35.37.8	35 31.4	35 32.9	15	15	15	TC	DA	281	251	296	273	273	100	100	100	100	204110	
0808 4 20.6	4 23.3	4 23.3	16	16	16	TC	DA	245	215	262	232	232	100	100	100	100	204110	
2525 34.1	35 28.6	35 28.6	17	17	17	TC	DA	321	321	321	321	321	100	100	100	100	204110	
1111 4 21.8	4 23.9	4 24.5	18	18	18	TC	DA	245	215	262	232	232	100	100	100	100	204110	
0606 36.5	35 30.6	35 31.4	19	19	19	TC	DA	321	321	321	321	321	100	100	100	100	204110	
2828 4 25.3	4 26.9	4 27.8	20	20	20	TC	DA	321	321	321	321	321	100	100	100	100	204110	
0303 36.9.3	35 33.6	35 34.3	21	21	21	TC	DA	349	349	349	349	349	100	100	100	100	204110	
2424 4 26.7	4 28.1	4 29.3	22	22	22	TC	DA	321	321	321	321	321	100	100	100	100	204110	
2828 35 48.3	35 26.5	35 27.2	23	23	23	TC	DA	321	321	321	321	321	100	100	100	100	204110	
2121 4 27.9	4 29.2	4 30.4	24	24	24	TC	DA	321	321	321	321	321	100	100	100	100	204110	
2929 35 45.2	35 39.3	35 40.1	25	25	25	TC	DA	321	321	321	321	321	100	100	100	100	204110	
1616 4 28.9	4 30.3	4 31.4	26	26	26	TC	DA	321	321	321	321	321	100	100	100	100	204110	
3030 25 47.9	25 41.9	35 42.8	27	27	27	TC	DA	321	321	321	321	321	100	100	100	100	204110	
0202 4 29.8	4 31.1	4 32.3	28	28	28	TC	DA	321	321	321	321	321	100	100	100	100	204110	
3131 25 51.0	25 45.6	35 45.9	29	29	29	TC	DA	321	321	321	321	321	100	100	100	100	204110	
0505 4 30.9	4 22.1	4 22.1	30	30	30	TC	DA	321	321	321	321	321	100	100	100	100	204110	
3131 25 52.9	35 47.8	35 48.8	31	31	31	TC	DA	321	321	321	321	321	100	100	100	100	204110	
5858 4 21.8	4 22.0	4 34.3	32	32	32	TC	DA	321	321	321	321	321	100	100	100	100	204110	
3232 35 56.8	35 50.7	35 51.7	33	33	33	TC	DA	321	321	321	321	321	100	100	100	100	204110	
5858 4 22.8	4 32.9	4 35.2	34	34	34	TC	DA	321	321	321	321	321	100	100	100	100	204110	
3232 25 59.8	25 54.6	35 54.7	35	35	35	TC	DA	321	321	321	321	321	100	100	100	100	204110	
4949 4 33.9	4 34.8	4 36.2	36	36	36	TC	DA	321	321	321	321	321	100	100	100	100	204110	

NAVIGATOR'S FLIGHT RECORD

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	S/N	AIRCRAFT BUNO						TRACK			OS-1-83 #6			FROM LERT		TO LERT		REMARKS
			TIME EST	H 1	V/L 1	H 2	TC	DA	TH	GS	WIND DRIVEN	TAS	ALT	DIST +TOT	DIST REM	ETA ATA	ETA ATA	DATE 1800T 80	% OR
1056	35.55.9	35.54.8	35.54.2	180	62	186	246	207	207	207	207	207	207	207	207	207	207	207	PSET
1057	45.1.5	4.56.0	4.57.0																A/H
1059	45.44.0	35.43.6	45.41.9																PSET
1061	4 57.7	4.56.0	4.57.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
1062	35.35.7	35.34.2	35.33.3	178	32	181	243	205	205	205	205	205	205	205	205	205	205	PSET	
1063	4.46.9	4.44.8	4.44.1																A/H
1068	35.55.5	35.53.1	35.52.7	240	62	354	246	200	200	200	200	200	200	200	200	200	200	PSET DRY	
1069	4.45.0	4.42.5	4.44.6																
1070	36.01.8	36.01.3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	LAYER	
1075	4.45.1	4.42.4	4.44.6																
1076	4.45.1	4.42.5	4.44.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	PSET	
1077	4.44.6	4.44.3	4.43.9																PSET
1078	36.32.3	36.38.9	36.29.2															A/H	
1079	4.44.1	4.41.1	4.40.3															PSET	
1080	36.30.1	36.16.8	36.16.8															A/H	
1081	4.31.3	4.29.7	4.31.0	181	86	189	242	232	232	232	232	232	232	232	232	232	232	PSET	
1082	36.03.9	36.00.2	36.00.3																
1083	4.30.8	4.29.7	4.31.0	180	76	187	241	231	231	231	231	231	231	231	231	231	231	PSET	
1084	4.29.3	4.29.5	4.31.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	A/H	
1085	36.03.9	36.00.2	36.00.3															PSET	
1086	35.49.6	35.45.8	35.45.9																
1087	4.29.3	4.29.5	4.31.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
1088	35.34.1	35.30.4	35.30.4																
1089	4.29.3	4.29.5	4.30.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
1090	35.30.0	35.28.6	35.28.5																
1091	4.16.3	4.17.4	4.16.0																

NAVIGATOR'S FLIGHT RECORD

OCEANDEVRON EIGHT 3760/1 (REV 81)

NAVIGATOR'S FLIGHT RECORD

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BU NO						TRACK # 6			FROM L/E/T		TO L/E/T		DATE 1967		
			TIME	N/S E/W	#	VLF	#	TC	DA	TH	GS	WIND DIR/VEL	ALT	DIST +TOT	DIST REM	ETA ATA	ETA ATA	REMARKS
1534 N	35.48.1	35.41.0	35.42.2									286/042	1000'					A/H
1040 W	35.53.2	35.00.6	35.00.5															1251T
371	35.63.9	35.56.8	35.57.5															NOT ALBORAN
10	35.53.2	35.38.7	35.00.6															35.56.3 0033 3.62.1
41	35.61.3	35.10.9	35.10.9															P051T
50	2559.9	2559.9	2559.9															ASSUME ARR. 1400
45	36.24.6	36.24.6	36.23.9															P051T
02	2559.9	2559.8	2559.0															
48	36.40.9	36.38.6	36.39.6															A/H
53	3559.9	3559.8	3559.1															
56	36.19.2	36.16.7	36.16.6															NOT
24	3055.2	3055.6	3055.6															SC#1
58	36.16.7	36.12.4	36.13.9															SC#2
01	3111.2	3128.8	3115.5															SC#3
59	36.14.4	36.10.9	36.11.4															SC#4
21	316.0	317.5	316.2															SC#5
1400	36.17.5	36.09.1	36.09.5															SC#6
21	319.4	320.7	319.5															SC#7
01	36.04.1	36.07.6	36.08.0															SC#8
22	323.3	324.5	323.1															
03	36.06.2	36.02.7	36.03.0															
14	326.4	328.1	328.1															
04	36.04.5	36.01.0	36.01.3															
33	232.4	334.1	332.0															
05	36.03.1	35.58.6	36.00.0															
27	337.0	337.6	336.4															

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	SNR	AIRCRAFT BUNO						TRACK OS-1-83 # C			FROM LL RT			TO LL RT			DATE 18 OCT 82 - OF	
			TIME	M/S	EN	L	V/L F	# 2	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ATA	REMARKS
1406	U	26.027	3559.3	3559.6	278				206	22		1000						SE#19	
17	W	2.40.6	2.40.8	2.29.9					235	29		V						SE#10	
09		35.52.1	3550.7	3550.5	162				277									SE#11	
07		3.41.0	2.39.7	3.29.6					262	22		V						SE#12	
10		35.50.1	35.47.1	35.47.5	260				276									SE#13	
56		3.47.3	3.46.9	2.45.4					202	22								SE#14	
13		35.47.3	35.44.0	35.44.9	247				212	26		V						SE#15	
00		8.50.8	8.50.5	3.48.5					204	24		V						SE#16	
14		35.46.0	35.43.3	35.43.8	243				209	26		V						SE#17	
58		3.54.6	3.53.6	3.52.0					214	23								SE#18	
14		35.42.9	35.40.3	35.41.0	222				316	26		V						SE#19	
21		2.59.9	3.58.5	3.56.7					204	26		V						SE#20	
15		25.38.1	35.36.1	35.36.7	217				214	23		V						SE#21	
56		4.04.9	4.02.5	4.01.0					209	18		V						SE#22	
17		35.36.7	35.35.4	35.35.8	275				207	18		V						SE#23	
15		4.10.6	4.07.5	4.06.1					255	25								SE#24	
18		25.35.5	35.34.5	35.35.0	261				208	24		V						SE#25	
27		4.16.2	4.13.6	4.11.1					265	22		V						SE#26	
19		35.34.3	35.33.7	35.34.3	272				208	22		V						SE#27	
55		4.23.0	4.18.7	4.17.1					208	22		V						SE#28	
21		35.33.9	35.24.7	35.32.4	251				205	27		V						SE#29	
09		4.18.6	4.12.8	4.23.1					205	27		V						SE#30	
22		35.31.8	35.22.1	35.32.8	262				168	22		V						SE#31	
10		4.32.6	4.28.1	4.26.4					205	27		V						SE#32	
23		25.28.8	3529.8	35.30.2	268				204	32		V						SE#33	
14	✓	4.27.1	4.31.1	4.29.5					204	32		V						SE#34	

NAVIGATOR'S FLIGHT RECORD

A/C CMDR	NAV	S/N	AIRCRAFT BUNO						DE-1-8346			FROM	TO	LERT	DATE	100492 4 OF		
			TIME	N/S E/W	#	WT	#2	TC	DA	TH	GS	WIND DIR/VEL	TAS	ALT	DIST +TOT	DIST REM	ETA ETE	ETA ATA
1/24 N	35.215	35.332	35.336	01.5							26							20#22
1 43 W	4 29.2	4 31.5	4 30.3								25							
25 1	35.344	35.367	35.369	00.1							24							20#23
28	4 39.8	4 31.0	4 30.3								21							
26	35.323	35.348	35.402	01.1							21							20#24
36	4 39.8	4 20.5	4 29.7	01.1							21							
37	35.39.9	35.42.7	35.42.3	35.25.6							21							20#25
28	4 40.1	4 30.1	4 29.3								21							
28	35.41.8	35.44.8	35.45.5	05.0							20							20#26
16	4 29.1	4 29.0	4 27.7								21							
27 1	35.44.7	35.48.3	35.48.9	35.26							20							20#27
31 1	4 29.7	4 28.7	4 27.4								19							20#28
20	35.47.3	35.51.1	35.51.9	01.6							21							
21	35.49.9	4 28.2	4 27.0								21							20#29
31	35.49.6	35.54.1	35.54.6	29.0							20							20#30
37	4 42.2	4 30.6	4 29.6								21							
32	35.51.8	35.56.4	35.57.1								19							20#31
32	4 43.8	4 31.0	4 29.5	01.5							18							20#32
33	35.54.0	35.59.1	35.59.7	32.0							18							20#33
40	4 45.3	4 31.6	4 30.3								17							20#34
		36	36	01.0							17							
		4.	4.								16							

NAVIGATOR'S FLIGHT RECORD

18 OCT

SPAIN

SONOBUOY DRIFT (M/SEC)

Start of drags:

19 hrs 00 min

Last track:


14 hrs 43 min


Average time:


3 hrs 58 min

Drop to track:

3 hrs 58 min









PART II
VERTICAL ANALYSES


A. The 36° Latitude Vertical Sections




Location plot for 36°N latitude vertical temperature analyses




B. The Marbella Line Vertical Sections





Location Plat for Marbella Lines INS winds, sonobuoy drifts, and vertical temperature analyses





- NO DRIFT BUOY DATA THIS DATE -







* SHIP XBT DATA WERE COLLECTED DURING THE PERIOD 23:10 HRS 8 OCT THROUGH 03:19 HRS 9 OCT. AIRCRAFT DATA WERE COLLECTED DURING THE PERIOD 10:25 HRS THROUGH 15:13 HRS 9 OCT.









UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NORDA Technical Note 222	2. GOVT ACCESSION NO. AD-A133 595	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) An Analysis of Aircraft Data Collected in the Alboran Sea During Donde Va?, 6 Through 18 October 1982	5. TYPE OF REPORT & PERIOD COVERED Final	
7. AUTHOR(s) Paul E. La Violette Jeffrey L. Kerling	8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Ocean Research and Development Activity NSTL, Mississippi 39529	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N	
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Ocean Research and Development Activity NSTL, Mississippi 39529	12. REPORT DATE July 1983	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	13. NUMBER OF PAGES 128	
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release Distribution Unlimited	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) remote sensing sea surface temperature sonobuoy drift factors		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) During the period 6 through 18 October 1982, a U.S. Navy aircraft flew a series of oceanographic survey flights over the Alboran Sea as part of a multi-platformed international experiment called Donde Va? The purpose of the flights was to measure the surface and subsurface temperature distribution, the short-term surface flow, and the atmospheric conditions during the period of the intensive field investigations.		
This technical note describes these flights and presents the analyses of the		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

(continued from Block 20)

Precision Radiation Thermometer (PRT-5), the Airborne Expendable Bathythermograph (AXBT), the sonobuoy drift, and the Inertial Navigation System (INS) wind data.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

END

FILMED

11-83

DTIC